

BRE Client Report

The health impacts and costs of poor housing in York: A quantitative Health Impact Assessment

Prepared for: Ruth Abbott, Housing Standards and Adaptations Manager
Date: 05 November 2015
Report Number: 300-681 Issue: 2

BRE
Watford, Herts
WD25 9XX

Customer Services 0333 321 8811

From outside the UK:
T + 44 (0) 1923 664000
F + 44 (0) 1923 664010
E enquiries@bre.co.uk
www.bre.co.uk

Prepared for:
Ruth Abbott, Housing Standards and Adaptations
Manager
City of York Council
West Offices
Station Rise
York
YO1 6GA



Prepared by

Name Ian Watson

Position Principal Consultant, Housing and Health

Date 05 November 2015

Signature

A handwritten signature in black ink, appearing to be 'I. Watson', is positioned to the right of the 'Signature' label.

Authorised by

Name Rob Flynn

Position Director, Housing and Health

Date 05 November 2015

Signature

A handwritten signature in black ink, appearing to be 'R. Flynn', is positioned to the right of the 'Signature' label.

This report is made on behalf of Building Research Establishment Ltd. (BRE) and may only be distributed in its entirety, without amendment, and with attribution to BRE to the extent permitted by the terms and conditions of the contract. BRE's liability in respect of this report and reliance thereupon shall be as per the terms and conditions of contract with the client and BRE shall have no liability to third parties to the extent permitted in law.



Executive summary

- City of York Council has recognised that poor housing has an important effect on health as most occupiers spend longer in their own home than anywhere else. Additional information is also required concerning private sector housing in order to inform the Joint Strategic Needs Assessment (JSNA). Further drivers recognised by the council also include the following:
 1. Ongoing pressure on public service budgets alongside increasing demand for health and social care services;
 2. Need to better understand the relationship between poor housing standards and health; and
 3. Need a robust evidence base to underpin the shift in focus towards more cost effective prevention and early intervention and support further integration between health, social care and housing services (i.e. the 'Better Care Fund' agenda).
- The council has commissioned BRE to produce housing stock models to help understand the condition of the private sector housing within their area (these are provided in a separate report). The housing stock model is based on data gathered from a number of sources (including the English Housing Survey (EHS)) and includes an assessment of dwelling hazards using the Housing Health and Safety Rating System (HHSRS). It also integrates local data including Energy Performance Certificate (EPC)¹, Local Land and Property Gazetteer (LLPG)², and HMO data provided by the council. This data from the integrated housing stock model has then been used as a basis for this Health Impact Assessment (HIA) to better understand the effect of private sector housing hazards and intervention strategies on the health of residents in York.
- A HIA is a formal method of assessing the impact of a project, procedure or strategy on the health of a population. This HIA draws on evidence of the health impact of hazards identified using the Housing Health and Safety Rating System (HHSRS)³ and a methodology developed by the BRE Trust and published in the "Real Cost of Poor Housing"⁴. The HHSRS is the method by which housing condition is now assessed in accordance with the Housing Act 2004. A dwelling with a category 1 hazard is considered to fail the minimum statutory standard for housing and is classified as "poor housing".
- This report provides a quantitative HIA for City of York Council which covers:

¹ EPCs are an indication of how energy efficient a building is - with a rating from A (very efficient) to G (inefficient). They are required whenever a property is built, sold or rented.

² A Local Land and Property Gazetteer (LLPG) is a collection of address and location data created by a local authority.

³ Housing Health and Safety Rating System Operating Guidance, Housing Act 2004, Guidance about Inspections and Assessments given under Section 9, ODPM, 2006

⁴ The Real Cost of Poor Housing, M Davidson *et al.*, IHS BRE Press, February 2010



- The condition of private sector housing and the estimated effect on the health of occupiers
 - The cost of prospective interventions to reduce the number of hazards
 - The costs to the NHS and wider society of treating these health issues
 - The health cost benefit analysis of interventions to reduce some of these hazards
 - An analysis of Quality Adjusted Life Years (QALYs) relating to housing hazards
- The main results are shown in the summary table overleaf and the headline results are as follows:

HIA for City of York Council, private sector stock

There are an estimated 12,920 category 1 hazards in York's private sector stock, of which over 4,194 are within the privately rented sector. *See full results*

The estimated total cost of mitigating all these hazards is £24.2 million with £8.4 million in the private rented sector. *See full results*

It is estimated that poor housing conditions are responsible for over 541 harmful events requiring medical treatment every year. *See full results*

The estimated cost to the NHS of treating accidents and ill-health caused by these hazards is £2.3 million each year. If the wider costs to society are considered, the total costs are estimated to be £5.7 million. *See full results*

If these hazards are mitigated then the total annual savings to society are estimated to be £5.3 million, including £2.1 million of savings to the NHS. *See full results*

Poor housing in York is estimated to cost around 238 quality-adjusted life-years (QALYs). *See full results*

Summary of results, private sector stock (N.B. due to data availability, some hazards are excluded from the cost benefit analysis)

Housing hazard type	Numbers of hazards (total private sector stock)	Estimated number of instances requiring medical intervention	Cost of mitigating all hazards	Potential annual costs of not mitigating hazards		Potential annual savings from mitigating hazards		Cost benefit analysis			
				Costs to NHS	Costs to society	Savings to NHS	Savings to society	Cost benefit to NHS		Cost benefit to Society	
								Positive cost benefit year where 20% works are carried out	Positive cost benefit year where 50% works are carried out	Positive cost benefit year where 20% works are carried out	Positive cost benefit year where 50% works are carried out
Damp and mould growth	96	48	£707,892	£32,330	£80,825	£32,230	£80,575	4	7	2	3
Excess cold	3,020	17	£13,858,664	£507,650	£1,269,125	£456,890	£1,142,225	7	15	3	6
Crowding and space	27	3	£453,438	£33,330	£83,325	£33,270	£83,175	5	12	2	5
Entry by intruders	59	20	£62,541	£13,220	£33,050	£12,640	£31,600	2	4	1	2
Domestic hygiene, Pests and Refuse	31	10	£59,952	£3,290	£8,225	£3,290	£8,225	Excluded	Excluded	Excluded	Excluded
Food safety	22	4	£55,436	£4,260	£10,650	£4,250	£10,625	Excluded	Excluded	Excluded	Excluded
Personal hygiene, Sanitation and Drainage	34	6	£39,110	£6,410	£16,025	£6,400	£16,000	Excluded	Excluded	Excluded	Excluded
Falls associated with baths etc	344	19	£179,986	£69,620	£174,050	£69,230	£173,075	0	0	0	0
Falling on level surfaces etc	1,529	85	£1,196,499	£324,360	£810,900	£291,920	£729,800	1	2	1	1
Falling on stairs etc	6,661	208	£5,726,750	£1,133,650	£2,834,125	£1,053,870	£2,634,675	1	2	1	1
Falling between levels	471	47	£437,947	£52,980	£132,450	£52,680	£131,700	2	5	1	2
Electrical hazards	6	0	£13,250	£1,340	£3,350	£1,340	£3,350	Excluded	Excluded	Excluded	Excluded
Fire	191	3	£694,756	£35,050	£87,625	£34,700	£86,750	4	9	2	4
Flames, hot surfaces etc	237	39	£578,577	£34,320	£85,800	£33,290	£83,225	1	2	1	1
Collision and entrapment	194	32	£134,602	£19,940	£49,850	£18,560	£46,400	0	0	0	0
TOTAL	12,920	541	£24,199,400	£2,271,750	£5,679,375	£2,104,560	£5,261,400	n/a	n/a	n/a	n/a


N.B. Totals may not add up due to rounding



- The housing stock models estimate that there are 12,920 category 1 hazards in 11,016 dwellings across the private housing stock. This Health Impact Assessment estimates that poor housing conditions in the private sector are responsible for over 541 harmful events requiring medical intervention each year. These almost completely avoidable events range from respiratory diseases like COPD associated with cold homes, to fractures and injuries associated with homes containing fall hazards. It would cost £24.2 million to mitigate all of these serious housing hazards, but would return savings to the NHS of £2.1 million per year, with further savings to wider society of £5.3 million per year (which includes increased spending on benefits, loss of future earnings, demands on other services etc. as well as the estimated NHS savings). It is also estimated that 219 Quality Adjusted Life Years (QALYs) could be saved if all serious housing hazards were mitigated.
- The health cost benefit analysis of interventions to reduce some of these hazards has been developed to show the costs and savings to the NHS and to society as a whole from carrying out work in dwellings with the least expensive 20% and 50% of required works. By focussing on the less expensive works, the expected payback periods (the number of years to reach the break-even point) are shorter. The summary table on the previous page shows that the shortest payback periods are for the hazards of collision and entrapment and some of the falls hazards. The longest payback periods are associated with the more complex hazards of damp and mould, excess cold and crowding and space.
- The return on investment when all hazards are mitigated may seem rather limited and modest. However, this report considers a number of different scenarios where the mitigation of different hazards and mitigation costs are further investigated to identify more compelling scenarios. For example, mitigating all damp and mould hazards in the owner occupied stock would cost approximately £436,297. The least costly half of all these hazards could be mitigated by investing around £13,525 per year for 5 years. The return on investment, or payback period, when costs to society are considered is 3 years; therefore, 3 years after the repairs are carried out, the savings to society will be greater than the mitigation costs. For falls associated with baths, all hazards in the owner occupied sector could be mitigated for £125,527. This would save the NHS £48,280 per year thus giving a payback period of less than 3 years.
- The estimated annual cost to society of fall hazards associated with older people is estimated at £3.8 million but a saving of £3.5 million is estimated as being possible. This indicates that repairs and improvements to stairs, floors and paths, plus additional safety arrangements for baths are likely to be the most cost effective.
- The estimated costs and savings can be shown by tenure. The largest costs and savings are within owner occupied dwellings but the estimated savings to society when all category 1 hazards in the privately rented sector are mitigated is £1.7 million as shown in the graph over leaf.
- The quantitative information provided in this HIA on the impact of private sector housing on health, will provide an invaluable contribution to the JSNA. The results will contribute to the provision of evidence of the costs, savings and benefits of improving housing in the private sector, and the costs to health of not doing so. Some recommendations are provided which look at possible interventions in order to assist the council in making decisions concerning where resources can best be targeted to improve private sector dwellings in York. Local knowledge will be key in targeting resources to gain the greatest benefit in both geographical areas and population profile. The importance of a Home Improvement Agency or a Handy Person Service to help take action is identified by this report.



Potential savings to society following mitigation work, by hazard and tenure, all private sector stock and split into tenure (IMD = Index of Multiple Deprivation and is across all stock)



Main recommendations:

- The owner occupied sector contains the greatest number of category 1 hazards requiring an estimated £15.8 million to mitigate. The most common hazards in this sector are falling on stairs etc. (4,645), excess cold (1,932), and falling on level surfaces etc. (1,066). Therefore there should be appropriate services to assist owner occupiers in addressing these most common hazards - this may range from financial assistance to support with the specification of remedial works and finding appropriate contractors.
- This report recognises the importance of a Home Improvement Agency or a Handy Person Service to help take action. Not only will there be a need for help to be available, there should also be systems in place to identify those needing assistance; for example, setting up referral pathways between housing and health professionals so that occupational therapists or health visitors are aware and can make referrals to housing support services.
- Within the private rented sector, the annual cost to society of category 1 hazards is estimated to be £1.8 million. Work to mitigate these hazards will need to be carried out by landlords in accordance with legislation in the Housing Act 2004. To facilitate this, an active housing enforcement strategy will be necessary.
- Landlord Accreditation Schemes can help to educate landlords on the need to mitigate hazards.
- The hazard of damp and mould particularly affects children and can cause long term effects that may well be underestimated by this work (the evidence is not available to quantify the true cost over a long



time period). Flames and hot surfaces and falling between levels also specifically affect children. Education using a multi-agency approach with Health Visitors or through Children's Centres and accessing local knowledge will be crucial to reducing these hazards. Professionals working with families in the private rented sector should be made more aware of landlord duties.

- The evidence indicates that initiatives to reduce the incidence of falls at home should be one of the more cost effective strategies. The cost benefit scenarios show that the best value initiatives will be small-scale repair or improvement works to stairs, trip hazards within the home and to uneven paths. Targeting this initiative towards dwellings occupied by persons over 60 will bring the greatest benefit.
- The quantitative information provided in this HIA on the impact of private sector housing on health should be fed into the JSNA and Health and Wellbeing strategy. This will allow evidence on the costs, savings and benefits of improving housing in the private sector, and the costs to health of not doing so, to be compared with other areas and contribute to informed discussions identifying commissioning priorities.
- The scenario tables in **Appendix D** show the expected costs of work to mitigate the individual hazards over a period of 3, 5 and 10 years along with the payback period in terms of savings to the NHS and society. These tables can be used to give some financial quantification towards planning a strategy.



Contents

1	Background and introduction	12
1.1	Background	12
1.2	Introduction	15
2	Housing hazards	17
2.1	The Housing Health and Safety Rating System (HHSRS)	18
2.2	Health conditions caused by hazards in dwellings	20
3	Methodology and findings	23
3.1	The number of dwellings meeting the definition of poor housing and the estimated effect on the health of occupiers	23
3.2	The cost of prospective interventions to reduce the number of hazards	35
3.3	The costs to the NHS and wider society of treating these health issues	37
3.4	The costs and savings to health of interventions to reduce some of these hazards	38
3.5	Health cost benefit scenarios	44
4	Analysis of Quality Adjusted Life Years (QALYs) relating to housing hazards	52
4.1	Health economics	52
4.2	What is a QALY?	52
4.3	Using HHSRS data	53
5	Conclusion	57
5.1	Recommendations for possible interventions	58
Appendix A	Brief explanation of the HHSRS hazard score calculation and banding reproduced from the Operating Guidance	61
Appendix B	Description of hazards	63
Appendix C	Data sources	66
Appendix D	Cost benefit scenario tables for individual hazards	69
	Glossary of terms	74



List of figures

Figure 1: HIA Procedure (adapted from the WHO's Tools and Methods)	12
Figure 2: Relating housing hazards to health	17
Figure 3: Some of the more common hazards and their effects in terms of time of exposure and severity	20
Figure 4: HHSRS category 1 hazards in York compared to England, private sector stock	24
Figure 5: Estimated number of category 1 hazards in York by tenure, private sector stock	24
Figure 6: Estimated annual savings to the NHS from mitigating hazards in York, all private sector stock and split into tenure (IMD lowest 20% is across all stock)	42
Figure 7: Estimated annual savings to society from mitigating hazards in York, all private sector stock and split into tenure (IMD lowest 20% is across all stock)	43
Figure 8: Calculating savings and simple payback periods	44
Figure 9: Payback periods for the NHS and society by hazard – where the least expensive 50% and 20% of hazards are mitigated, private sector stock (<i>N.B. some payback periods are less than one year as the mitigation costs are so low and are shown as zero on this chart, hazards not shown on this chart have not been assessed here as there is insufficient data, either as the hazards are not present in sufficient numbers or there is insufficient background information from EHS data</i>)	44
Figure 10: Potential annual costs and savings to society of mitigating the least expensive 50% category 1 falling on stairs etc. hazards in all private sector dwellings	46
Figure 11: Targeting falling on stairs hazards with a capital budget of £50,000 per annum, private sector stock (the least expensive hazards first)	47
Figure 12: Targeting falling on stairs hazards with a capital budget of £100,000 per annum, private sector stock (the least expensive hazards first)	47
Figure 13: Estimated annual saving to society of mitigating category 1 falling on the level hazards, private sector stock	48
Figure 14: Annual costs and savings to society where the least expensive 20% category 1 excess cold hazards were mitigated over a 10 year period in all dwellings, private sector stock	49
Figure 15: Annual costs and savings to society where all category 1 excess cold hazards were mitigated over a 10 year period, private rented stock	49
Figure 16: Estimated annual savings to society if all category 1 damp and mould hazards are mitigated, private sector stock	50
Figure 17: Cumulative effect to society of category 1 crowding and space hazards in all dwellings, private sector stock	51
Figure 18: Diagram showing how QALYs are calculated using a medical example	53



List of tables

Table 1: The 29 hazards covered by the HHSRS (those highlighted in bold are covered in this HIA, although the 3 infection hazards and electrical hazards are not covered in the cost benefit analysis due to insufficient information)	19
Table 2: Summary of the main hazards, their effects, vulnerable groups affected and potential mitigation actions	21
Table 3: The estimated number of category 1 hazards by tenure and estimated number of instances requiring medical intervention in York, private sector stock (IMD lowest 20% is across all stock)	25
Table 4: The total cost of mitigating all category 1 hazards by tenure in York and the average cost per dwelling, private sector stock (IMD lowest 20% is across all stock)	36
Table 5: Costs of mitigating fall hazards where the vulnerable group is people over 60, private sector stock (IMD lowest 20% is across all stock)	36
Table 6: Typical health outcomes and first year treatment costs for selected HHSRS hazards	37
Table 7: Estimated annual costs to the NHS of category 1 hazards in York, private sector stock (IMD lowest 20% is across all stock)	39
Table 8: Estimated annual costs to society of category 1 hazards in York, private sector stock (IMD lowest 20% is across all stock)	39
Table 9: Estimated annual costs to the NHS of category 1 fall hazards where the vulnerable group is people over 60, private sector stock (IMD lowest 20% is across all stock)	40
Table 10: Estimated annual saving to the NHS from mitigating category 1 hazards, private sector stock (IMD lowest 20% is across all stock)	41
Table 11: Estimated annual savings to society from mitigating category 1 hazards, private sector stock (IMD lowest 20% is across all stock)	41
Table 12: Estimated annual savings to the NHS from mitigating fall hazards where the vulnerable group is people over 60, private sector stock (IMD lowest 20% is across all stock)	42
Table 13: Comparison ratios for HHSRS harms and QALY estimates	54
Table 14: The QALY benefit and ICER of reducing HHSRS category 1 hazards to an acceptable level	54
Table 15: Determining the proportion of category 1 hazards that have an average cost of repair at a value to generate an ICER of £30,000 or below	55
Table 16: Estimating the total cost of works to mitigate all category 1 hazards that would produce an ICER of below £30,000 i.e. dealing with the least expensive to mitigate hazards	56



List of maps

Map 1: Expected distribution of HHSRS category 1 hazards in York, private sector stock	27
Map 2: Expected distribution of HHSRS category 1 excess cold in York, private sector stock	28
Map 3: Expected distribution of HHSRS category 1 fall hazards in York, private sector stock	29
Map 4: The prevalence of hospital admissions due to hip fractures in over 65s in York (source: http://www.localhealth.org.uk)	31
Map 5: Number of persons over 65 in York	32
Map 6: The prevalence of Chronic Obstructive Pulmonary Disease (COPD) in York (source: http://fingertips.phe.org.uk)	33
Map 7: The prevalence of asthma in York (source: http://fingertips.phe.org.uk)	34



1 Background and introduction

1.1 Background


1.1.1 Health Impact Assessment (HIA)

A Health Impact Assessment (HIA) is a formal method of assessing health impact and is advocated by the World Health Organisation (WHO).

“HIA provides decision-makers with information about how any policy, programme or project may affect the health of people. HIA seeks to influence decision-makers to improve the proposal. WHO supports the use of HIA because of its ability to influence policies, programmes and/or projects. This provides a foundation for improved health and well-being of people likely to be affected by such proposals”⁵.

The method suggested and used internationally is explained in **Figure 1**.

Figure 1: HIA Procedure (adapted from the WHO’s Tools and Methods)⁶



⁵ www.who.int/hia

⁶ WHO, Tools and Methods, 2013, <http://www.who.int/hia/tools/en/>



The screening stage identifies that housing has an effect on the health of occupiers and visitors. The scoping stage gives examples of expected health impacts, and the appraisal stage measures these. The reporting stage provides conclusions and recommendations. Finally, the monitoring stage can be carried out in the future by evaluation of interventions and estimating the cost savings to the NHS and society by using the Housing Health Cost Calculator (HHCC⁷).

Previous research has been carried out by BRE to assess the real cost of poor housing⁴ and this allows the costs of hazards associated with housing to be developed as part of an HIA.

1.1.2 The regulatory framework

The Government's White Paper "Healthy Lives, Healthy People"⁸ and associated outcomes framework includes a number of indicators which specifically relate to housing, as follows (the numbers shown in brackets refer to those published in the outcomes framework):

- Fuel poverty (1.17)
- Older people's perception of community safety (1.19)
- Rate of emergency hospital admissions for falls or fall injuries in persons aged 65 and over (2.24)
- Mortality from all cardiovascular diseases (4.4)
- Age-sex standardised rate of emergency admissions for fractured neck of the femur in persons 65 and over per 100,000 (4.14)
- Excess Winter Deaths Index (4.15)

The Audit Commission's report "Building Better Lives"⁹ recommends maximising the use of the existing housing stock. Furthermore, it states that improving housing can improve public health and children's education, and make communities more sustainable, as illustrated by the following quotes from the report:

"Well-targeted spending on the existing housing stock can also yield financial benefits

..Every £1 spent on providing housing support for vulnerable people can save nearly £2 in reduced costs of health services, tenancy failure, crime and residential care.

..Spending between £2,000 and £20,000 on adaptations that enable an elderly person to remain in their own home can save £6,000 per year in care costs".

The Joint Strategic Needs Assessment (JSNA) is the tool being used by local authorities, the NHS and Clinical Commissioning Groups (CCG) to quantify baseline data and the health needs of the local population. The strategy produced by the Health and Wellbeing Boards is based on the JSNA. Additional guidance on carrying out a JSNA was published by the Department for Communities and Local Government (DCLG, previously CLG) and the Department of Health (DoH) in December 2007¹⁰.

⁷ www.housinghealthcosts.org

⁸ Healthy Lives, Healthy People: Our strategy for public health in England, HM Government, 30.11.2010

⁹ Building Better Lives – Getting the best from strategic housing, Audit Commission, September 2009

¹⁰ Delivering Health and Wellbeing in Partnership, CLG and DoH, 2008



Since April 2013 all upper tier local authorities have been charged with setting up Health and Wellbeing Boards and producing a strategy to improve the health and wellbeing of the local population to reduce the health inequality gap by improving the health of the poorest first.

The Health and Social Care Act 2012

The Health and Social Care Act 2012 established health and wellbeing boards, which have a duty to encourage integrated working between commissioners of health, social care, public health and children's services. Each of the 152 local authorities with adult social care responsibilities has a health and wellbeing board. The Act also determined that local authorities now have a statutory duty to improve the health of their populations – a responsibility for public health. Local authorities received a £2.8 billion ring-fenced grant for this in 2014-15¹¹.

The first major role of the health and wellbeing board was in providing local approval for Better Care Fund (BCF) planning. The Better Care Fund (originally called the Integration Transformation Fund), was announced by the government in the June 2013 spending round with the stated intention of bringing about integration of health and social care. It was described as a 'single pooled budget for health & social care services to work more closely together in local areas based on a plan agreed between the NHS and local authorities'. The BCF is a £3.8 billion budget for 2015-16 to integrate care. Government intends the fund to improve outcomes for service users and reduce emergency admissions to hospital by encouraging cooperation between the NHS and local authorities. Some areas have pooled significantly more than the minimum required by central government leading to some public statements quoting a £5.2 billion BCF budget.

The BCF not only brings together NHS and local government resources that are already committed to existing core activity, but also provides a real opportunity to improve services and value for money. Whilst the fund itself does not address the financial pressures faced by local authorities and Clinical Commissioning Groups (CCGs), it can act as a catalyst for developing a new shared approach to delivering services and setting priorities.

For health, care and support to be integrated it must be person-centred, coordinated, and tailored to the needs and preferences of the individual, their carer and family. It means moving away from episodic care to a more holistic approach to health, care and support needs, that puts the needs and experience of people at the centre of how services are organised and delivered¹².

Five Year Forward View

The Forward View, published in 2014 by NHS England and other national bodies to broad approval, outlined how NHS services must change to move towards the care models required for the future. England, it argued, is too diverse for 'one size fits all' solutions. The key arguments are that:

- Much more attention should be given to prevention and public health
- Patients should have far greater control of their own care
- Barriers in how care is provided should be broken down

¹¹ <https://www.nao.org.uk/wp-content/uploads/2015/08/A-Short-Guide-to-the-NAOs-work-on-local-authorities2.pdf>

¹² <https://www.england.nhs.uk/ourwork/part-rel/transformation-fund/>



This means putting in place new models of care in which care is much more integrated than at present¹³.

Although the role of housing itself is not a focus of this, the section 'Getting serious about prevention'¹⁴ recognises the importance of preventative or public health interventions and the report contains a commitment to support approaches to improving health and wellbeing.

1.2 Introduction

City of York Council has recognised that additional information is required concerning private sector housing in order to help inform the JSNA and in light of the following:

1. Ongoing pressure on public service budgets alongside increasing demand for health and social care services;
2. Need to better understand the relationship between poor housing standards and health; and
3. Need a robust evidence base to underpin the shift in focus towards more cost effective prevention and early intervention and support further integration between health, social care and housing services (i.e. the 'Better Care Fund' agenda).

The council has commissioned BRE to produce housing stock models to help understand the condition of the private sector housing within their area. The BRE Housing Stock Model is based on data gathered from a number of sources (including the English Housing Survey (EHS)) and includes an assessment of dwelling hazards using the Housing Health and Safety Rating System (HHSRS). The HHSRS is the method by which housing condition is assessed in accordance with the Housing Act 2004 and the Operating Guidance¹⁵. A dwelling with a category 1 hazard is considered to fail the minimum statutory standard for housing (see **Appendix A** for more information on the calculation methodology for category 1 hazards).

Following this initial project, the council has commissioned BRE to produce an integrated stock model which includes Energy Performance Certificate (EPC)¹⁶, Local Land and Property Gazetteer (LLPG)¹⁷, and HMO data provided by the council. The data from this integrated housing stock model has then been used as a basis for this HIA to better understand the effect of private sector¹⁸ housing hazards and intervention strategies on the health of residents in York.

¹³ http://www.kingsfund.org.uk/sites/files/kf/field/field_publication_file/implementing-the-nhs-five-year-forward-view-kingsfund-feb15.pdf

¹⁴ <https://www.england.nhs.uk/wp-content/uploads/2014/10/5yfv-web.pdf>

¹⁵ Housing Health and Safety Rating System Operating Guidance, ODPM, 2006

¹⁶ EPCs are an indication of how energy efficient a building is - with a rating from A (very efficient) to G (inefficient). They are required whenever a property is built, sold or rented.

¹⁷ A Local Land and Property Gazetteer (LLPG) is a collection of address and location data created by a local authority.

¹⁸ Note that this report is focussed on the private sector since data on the social rented stock is more readily available from other sources.



The aims of this project, therefore, are to provide a quantitative HIA for City of York Council which:

1. Quantifies the number of poor private sector dwellings
2. Assesses the estimated effect on the health of occupiers
3. Assesses the distribution of the hazards and compares with selected health data
4. Quantifies the costs of prospective interventions to reduce the number of hazards
5. Quantifies the costs to the NHS and wider society of treating health issues caused by these hazards
6. Assesses the costs and savings to health of interventions to reduce some of these hazards
7. Assesses various cost benefit scenarios focussing on hazards which are least costly to mitigate
8. Provides recommendations for possible interventions
9. Provides an analysis of Quality Adjusted Life Years (QALYs) relating to housing hazards


The quantitative information provided in this HIA on the impact of private sector housing on health will provide an invaluable contribution to the evidence base. The results will contribute to evidence of the costs and benefits of improving housing in the private sector, and the costs to health of not doing so.



2 Housing hazards

This section provides a brief description of the types of hazards found in dwellings - more detailed descriptions are given in **Appendix B**. The links between hazards found in dwellings and the health issues that may arise are shown in **Figure 2**.

Figure 2: Relating housing hazards to health¹⁹



¹⁹ Good Housing Leads to Good Health, A toolkit for environmental health practitioners CIEH, September 2008



2.1 The Housing Health and Safety Rating System (HHSRS)

The HHSRS is a means of classifying defects in dwellings by assessing their potential effect on the health and safety of occupants and visitors, particularly those regarded as in the “vulnerable group”²⁰. The system provides a means of rating the seriousness of any hazard to differentiate between minor hazards and those where there is an immediate threat of major harm. A brief explanation of the assessment process is included in **Appendix C**.

Where a hazard scores 1,000 or more on the HHSRS it is deemed to be a category 1 hazard and any dwelling with such a hazard is considered to be below the minimum acceptable standard for housing and thus classified as “poor housing”. The presence of a category 1 hazard, therefore, is the measure used to define poor housing and where category 1 hazards are found by a local authority they are required to take action to mitigate the hazard.

This means of “measuring” hazards focuses on health outcomes, and the development of the process is informed by a large body of research and statistics on the links between housing and health. The information regarding health outcomes given in this report has been derived from the HHSRS Operating Guidance. The “HHSRS is evidence based and supported by extensive reviews of literature by detailed analyses of statistical data²¹ on the impact of housing conditions on health”²².

The HHSRS Operating Guidance defines 29 hazards as shown in **Table 1**. Of the total 25 HHSRS hazards covered in the EHS, there are 15 hazards within York for which there is sufficient information to quantify the number of dwellings affected.

It is estimated that 94% of all category 1 hazards found within York fall under these 15 hazards. The remaining hazards are rare and there is insufficient evidence with which to quantify them. The hazards are divided into those likely to cause:

- Physiological conditions
- Psychological illness
- Infection
- Accidents

²⁰ The “vulnerable group” is a technical term used in the HHSRS Operating Guidance. It refers to the group of persons who are more likely to be affected by the hazard than any other age group in the population. So for a hazard such as “Falling between levels”, the vulnerable group is children, as they are less aware of the danger of falling; whereas for Excess cold it is persons over 65, as they are less able to keep themselves warm”. Where a hazard does not affect a specific vulnerable group then the population is taken as a whole.

²¹ Statistical Evidence to Support the Housing Health and Safety Rating System Volumes I.II and II, ODPM, London, 2003

²² NICE: A Review of Interventions for Improving Health, ODPM, December 2005



Table 1: The 29 hazards covered by the HHSRS (those highlighted in bold are covered in this HIA, although the 3 infection hazards and electrical hazards are not covered in the cost benefit analysis due to insufficient information)


Physiological conditions	Psychological illness	Infection	Accidents
Damp & mould growth	Crowding & space	Domestic hygiene, pests & refuse	Falls associated with baths etc.
Excessive cold	Entry by intruders	Food safety	Falling on level surfaces
<i>Excessive heat</i>	<i>Lighting</i>	Personal hygiene, sanitation & drainage	Falling on stairs etc.
<i>Asbestos</i>	<i>Noise</i>	<i>Water supply</i>	Falling between levels
<i>Biocides</i>			Electrical hazards
<i>CO & fuel combustion productions</i>			Fire
<i>Lead</i>			Flames, hot surfaces etc.
<i>Radiation</i>			Collision & entrapment
<i>Un-combusted fuel gas</i>			<i>Explosions</i>
<i>Volatile organic compounds</i>			<i>Position & operability of amenities</i>
			<i>Structural collapse & falling elements</i>

Italics = not covered in any further detail in this report as there is insufficient data for these purposes.

The hazards can also be considered in terms of those where the health effects from exposure are immediate and those where exposure is generally required over a prolonged period before symptoms become obvious. **Figure 3** shows a plot of some of the more common hazards in terms of exposure time and severity of harm outcomes. Those hazards that have a longer term effect are the most difficult to measure in health outcome terms and their severity may be underestimated.



Figure 3: Some of the more common hazards and their effects in terms of time of exposure and severity



2.2 Health conditions caused by hazards in dwellings

Table 2 shows the main health conditions caused by each of the hazard types, the vulnerable groups most affected and the mitigation actions which could be taken. In addition to the hazards shown in this table, there are an estimated 27 hazards of crowding and space in the private sector in York. The health effects of this are far reaching and, where children are involved, long term. Detailed descriptions of the hazards and their health effects are provided in **Appendix B**.



Table 2: Summary of the main hazards, their effects, vulnerable groups affected and potential mitigation actions

Housing Hazard type	Main health conditions	Vulnerable groups	Mitigating the hazard
Excess cold	Respiratory diseases, chronic obstructive pulmonary disease (COPD), cardio-vascular conditions Increased risk of falls Worsening of symptoms of rheumatoid arthritis and leg ulcers Excess winter deaths Work and school days lost, reduction in educational attainment (Marmot report)	Older people People in fuel poverty Families	Improving heating and thermal efficiency measures
Damp and mould growth	Asthma exacerbation, lower respiratory infections Social isolation	Children Adults	Improved heating, ventilation and addressing any structural problems
Entry by intruders	Fear of burglary Emotional stress	All	Window and door locks, security lighting and key safes
Falls in baths, on stairs, trips and slips	Accidents Fractures to older people and subsequent loss of independence General health deterioration	Older people	Stair rails, balustrades, grab rails, repair to paths
Accidents affecting children (falling between levels, flames & hot surfaces, electrical hazards, collision & entrapment)	Physical injury, falls, electrocution, severe burns and scalds	Children	Identifying hazards, provide more space, education of professionals



2.2.1 Photographic evidence of category 1 hazards

This section provides some photographic evidence of category 1 hazards in York.

Photograph 1: Damp and mould hazard




Photograph 3: Excess cold / fire hazard



Photograph 2: Falls on stairs hazard – internal stairs



Photograph 4: Falls on stairs hazard – external stairs





3 Methodology and findings

The overall approach used in this HIA is as follows:

1. Quantify the number of poor private sector dwellings
2. Assess the estimated effect on the health of occupiers
3. Assess the distribution of the hazards and compare with selected health data
4. Quantify the costs of prospective interventions to reduce the number of hazards
5. Quantify the costs to the NHS and wider society of treating health issues caused by these hazards
6. Assess the costs and savings to health of interventions to reduce some of these hazards
7. Assess various cost benefit scenarios focussing on hazards which are least costly to mitigate
8. Provide recommendations for possible interventions
9. Provide an analysis of Quality Adjusted Life Years (QALYs) relating to housing hazards

3.1 The number of dwellings meeting the definition of poor housing and the estimated effect on the health of occupiers

3.1.1 Numbers of hazards and estimated instances requiring medical intervention

As previously discussed, the definition used for poor housing is those dwellings which have at least one category 1 hazard. The number of hazards present in dwellings has been quantified using the data sourced from the BRE Housing Stock Models provided to City of York Council. The data includes a breakdown by tenure. Further explanation of the data sources and their application is provided in **Appendix C**.

These figures are for the whole of York, but there will be differentiation across the council area. This is shown in more detail in the associated housing stock model report and officers with local knowledge will be best placed to interpret this further.

Figure 4 shows the numbers of hazards, grouped into major hazard categories, in York compared to England as a whole. Compared to England, York has a similar level of dwellings with category 1 hazards, although there are higher rates of falls hazards. Around 15% of dwellings in York have a category 1 hazard.

Figure 5 shows the estimated number of category 1 hazards by tenure. The tenure split is important because dwellings that are privately rented should have any category 1 hazard mitigated by the landlord at their expense in order to comply with the Housing Act 2004. The chart shows the figures for all hazards and it is clear that many of the hazards are not present in sufficient numbers to be considered further in this HIA.



Figure 4: HHSRS category 1 hazards in York compared to England, private sector stock





Figure 5: Estimated number of category 1 hazards in York by tenure, private sector stock





Of the total 25 HHSRS hazards covered in the EHS, there are 15 hazards within York for which there is sufficient information to quantify the number of dwellings affected. These 15 hazards cover 94% of all hazards found in York. For these hazards, it is then possible to estimate the expected number of category 1 hazards and the number of harm outcomes requiring medical intervention resulting from these hazards. **Table 3** shows, for the 15 hazards discussed, the total number of category 1 hazards is 12,920 and the estimated number of instances requiring medical intervention expected within York is 541. The most common category 1 hazard is falling on stairs etc. and the second most common is excess cold. The most common category 1 hazards do not necessarily mean the greatest number of medical interventions as the HHSRS scoring system requires an assessment of likelihood and the extent of harm outcome. For example, it could be the case that the hazard of damp and mould causes a greater number of incidents than excess cold although the severity of harm outcome would be less. Later in the report the cost benefits of mitigating 11 of these hazards is discussed (there being insufficient data on the remaining 4).

The table shows the overall figures for the private stock and then breaks this down into owner occupied and private rented. It also shows the figures for dwellings within the local authority which form part of the 20% of the most deprived areas in England – the Index of Multiple Deprivation (IMD). It should be noted that these figures are across all stock and will be mainly, but not exclusively, social stock. The Index of Multiple Deprivation (IMD) provides a relative measure of deprivation at various geographic areas across England. The most recent is for 2010 and calculates the overall measure of deprivation experienced by people living in every Lower layer Super Output Area (LSOA) in England. Almost half of hazards are found in the most deprived areas.

Table 3: The estimated number of category 1 hazards by tenure and estimated number of instances requiring medical intervention in York, private sector stock (IMD lowest 20% is across all stock)

Housing hazard type	Numbers of hazards				Estimated number of instances requiring medical intervention
	Total Private Stock	Owner occupied	Private rented	IMD lowest 20%	
Damp and mould growth	96	59	37	14	48
Excess cold	3,020	1,932	1,088	188	17
Crowding and space	27	16	10	4	3
Entry by intruders	59	36	22	9	20
Domestic hygiene, Pests and Refuse	31	19	12	5	10
Food safety	22	14	9	3	4
Personal hygiene, Sanitation and Drainage	34	21	13	5	6
Falls associated with baths etc	344	240	104	22	19
Falling on level surfaces etc	1,529	1,066	463	96	85
Falling on stairs etc	6,661	4,645	2,015	419	208
Falling between levels	471	290	181	71	47
Electrical hazards	6	3	2	1	0
Fire	191	118	73	29	3
Flames, hot surfaces etc	237	146	91	36	39
Collision and entrapment	194	119	74	29	32
TOTAL	12,920	8,726	4,194	931	541

N.B. Totals may not add up due to rounding

3.1.2 Distribution of category 1 hazards in York


Map 1 to **Map 3** below were previously supplied in the housing stock model report and are reproduced here for ease of reference. **Map 1** shows the expected distribution of all category 1 hazards in York. The most prevalent hazards in York are estimated to be hazards associated with falls and excess cold hazards and therefore **Maps 2** and **3** focus on these hazards.



The maps are produced at COA level, which is typically made up of 125 households, usually including whole postcodes and having similar sized populations. Using the first map below (**Map 1**) as an example, it can be seen that each ward is split into several COAs and, in this instance, there are 17 COAs that have 40 - 61% of private sector dwellings estimated to have the presence of a category 1 hazard. These maps provide a useful resource to help inform decisions on how to target resources aimed at mitigating these hazards.




Map 1: Expected distribution of HHSRS category 1 hazards in York, private sector stock






Map 2: Expected distribution of HHSRS category 1 excess cold in York, private sector stock





Map 3: Expected distribution of HHSRS category 1 fall hazards in York, private sector stock





3.1.3 Relating housing conditions to available health data

As part of this project a comparison between poor housing conditions and health data from the population has been carried out. This type of analysis is at a very early stage and it is hoped that this type of comparison will be developed further in the future.

The estimated distribution of falls hazards, as provided in **Map 3** shows dwellings where there are most likely to be falls related injuries. **Map 4** shows the prevalence of hospital admissions due to hip fractures in over 65s. Whilst they use different geographical boundaries (COA compared with MSOA), a comparison of the two does seem to suggest that there are some areas which have both higher levels of falls hazards and higher rates of hospital admissions due to hip fractures – for example Acomb, Clifton and Guildhall.

Map 5 shows the distribution of the over 65 population in York which could be helpful in identifying areas with higher populations of older people which may be more at risk from falls hazards.


The analysis also considers the prevalence of Chronic Obstructive Pulmonary Disease (COPD) across the GP practices in York, as shown in **Map 6**. There is evidence that COPD can be linked to living in housing suffering from excess cold. However, a comparison of **Map 6** with the excess cold map (**Map 2**) suggests that whilst there are a few areas where there may be a correlation – e.g. parts of Clifton and Guildhall, generally this is not the case with some areas of high incidences of COPD having lower levels of excess cold. However, it is important to note that the information relating to COPD is based on GP practices, and as such, higher concentrations do not necessarily reflect where patients reside.

Map 7 shows the prevalence of asthma in York. There is a higher prevalence in the Guildhall and Westfield wards and also some of the more rural areas such as Wheldrake and Osbaldwick and Derwent. Guildhall, Osbaldwick and Derwent and Wheldrake are also areas which have higher levels of excess cold compared to other wards; however, Westfield does not have particularly high levels.

This provides useful geographical information as to areas which may benefit from a targeted approach to improving housing and health. It should be noted however, that GP practices may have a wide geographical reach with some patients attending from outside the immediate area.




Map 4: The prevalence of hospital admissions due to hip fractures in over 65s in York (source: <http://www.localhealth.org.uk>)






Map 5: Number of persons over 65 in York






Map 6: The prevalence of Chronic Obstructive Pulmonary Disease (COPD) in York (source: <http://fingertips.phe.org.uk>)



Map 7: The prevalence of asthma in York (source: <http://fingertips.phe.org.uk>)





3.2 The cost of prospective interventions to reduce the number of hazards

The cost of work necessary to mitigate the hazards has been agreed with the local authority and is representative of local (at a regional level) costs based on information from the English Housing Survey (EHS) and consistent with “The Cost of Poor Housing to the NHS²³” briefing paper produced by BRE as an update to “The Real Cost of Poor Housing⁴” report. The cost is based on mitigating the hazard and bringing the dwelling up to the standard for an “average dwelling”. The average dwelling likelihoods of harm, and harm outcomes, are given in the HHSRS Operating Guidance (**Appendix A** provides further explanation). The exception to the rule of bringing dwellings up to the average is for the hazard of excess cold, which is discussed below.

For the hazard of excess cold, a “better than average” likelihood following mitigation work is used. The average likelihood according to the Operating Guidance of an over 65 year old being in a dwelling and suffering a hazard of excess cold is currently 1 in 380. (The figure of 320 is used as the representative scale point. The use of representative scale points is explained in **Appendix C**). The statistical tables determining the “average” (and required to be used in accordance with the Operating Guidance) are based on the years 1997 – 1999.

The calculations in this report result in a “likelihood”, following mitigation works for excess cold, of 1 in 1,800 rather than 1 in 320. It is felt that this “better than average” likelihood is a helpful demonstration of the benefit of proposed mitigation works. Dwellings are expected to be improved to a standard “better than average” for insulation to help comply with energy efficiency targets. For mitigating a category 1 hazard of excess cold, total costs would be expected to include installing or improving loft insulation to 300mm (above the average), the installation of cavity wall insulation, the installation of central heating (where not already present) and a room thermostat.

Comparing these works with dwellings assessed as part of the CLG worked examples and LACORs (Local Authority Coordinators of Regulatory Services, now renamed Local Government Regulation) examples, then a likelihood of 1 in 1,800 is used to reflect the higher level of loft insulation (300mm rather than the average of 100mm) and the fact that if a new boiler is fitted it is required by building regulations to be of a highly efficient condensing type.

Taking this into account, the costs of works used to mitigate category 1 hazards and bring them up to the average (or “better than average” for excess cold) are shown in **Table 4**. These costs are estimated to be an average across the whole range of work. So, for example, to mitigate damp and mould growth may require a range of different work from comprehensive works to replace the roof, installing a damp proof course or to simply replacing a piece of guttering.

In the health cost benefit part of this report (**Section 3.5**), consideration is given to mitigating only a percentage of category 1 hazards, the least expensive 50% and the least expensive 20%.

Table 4 provides a summary of the total estimated costs of mitigating the main hazards by tenure as well as the average costs per dwelling.

²³ BRE Briefing Paper: The cost of poor housing to the NHS, Nicol S, Roys M and Garrett H, BRE Trust, 2015 - <http://www.bre.co.uk/filelibrary/pdf/87741-Cost-of-Poor-Housing-Briefing-Paper-v3.pdf>



Table 4: The total cost of mitigating all category 1 hazards by tenure in York and the average cost per dwelling, private sector stock (IMD lowest 20% is across all stock)

Housing hazard type	Cost of mitigating hazards				Avg. mitigation cost per dwelling
	Total Private Stock	Owner occupied	Private rented	IMD lowest 20%	
Damp and mould growth	£707,892	£436,297	£271,595	£106,529	£7,406
Excess cold	£13,858,664	£8,865,874	£4,992,790	£862,725	£4,589
Crowding and space	£453,438	£279,469	£173,969	£68,237	£16,945
Entry by intruders	£62,541	£38,546	£23,995	£9,412	£1,066
Domestic hygiene, Pests and Refuse	£59,952	£36,950	£23,001	£9,022	£1,927
Food safety	£55,436	£34,167	£21,269	£8,342	£2,469
Personal hygiene, Sanitation and Drainage	£39,110	£24,105	£15,005	£5,886	£1,158
Falls associated with baths etc	£179,986	£125,527	£54,459	£11,332	£523
Falling on level surfaces etc	£1,196,499	£834,469	£362,030	£75,334	£783
Falling on stairs etc	£5,726,750	£3,993,981	£1,732,769	£360,568	£860
Falling between levels	£437,947	£269,921	£168,026	£65,906	£930
Electrical hazards	£13,250	£8,167	£5,084	£1,994	£2,368
Fire	£694,756	£428,201	£266,555	£104,552	£3,644
Flames, hot surfaces etc	£578,577	£356,596	£221,981	£87,069	£2,444
Collision and entrapment	£134,602	£82,960	£51,642	£20,256	£694
TOTAL	£24,199,400	£15,815,229	£8,384,171	£1,797,164	

N.B. Totals may not add up due to rounding

The cost of excess cold makes up the largest proportion of the total mitigation costs at around £13.9 million. When added together, the fall hazards affecting the vulnerable group of persons over 60 (falls associated with baths, falling on level surfaces and falling on stairs) also represents a large proportion of the total. This is summarised in **Table 5** which shows that the total cost of mitigating these fall hazards is estimated at £7.1 million.

Table 5: Costs of mitigating fall hazards where the vulnerable group is people over 60, private sector stock (IMD lowest 20% is across all stock)

Housing hazard type	Cost of mitigating hazards			
	Total Private Stock	Owner occupied	Private rented	IMD lowest 20%
Falls associated with baths etc	£179,986	£125,527	£54,459	£11,332
Falling on level surfaces etc	£1,196,499	£834,469	£362,030	£75,334
Falling on stairs etc	£5,726,750	£3,993,981	£1,732,769	£360,568
TOTAL	£7,103,235	£4,953,977	£2,149,258	£447,234

N.B. Totals may not add up due to rounding



3.3 The costs to the NHS and wider society of treating these health issues

This section describes how the costs are determined. The results for York are presented in **Section 3.4**.

3.3.1 Costs to the NHS

Costs to the NHS are based on real estimates of the costs of incidents occurring as a result of the hazards and have been developed by looking at typical health outcomes and first year treatment costs that can be attributed to selected HHSRS hazards. This information is published in “The Real Cost of Poor Housing”⁴ and the table is reproduced here (**Table 6**). Some of the classes of harm are marked “n/a” and in these cases the HHSRS class is either very rare or non-existent. Death, for example, is very unlikely to arise from damp and mould growth alone so no class 1 harms are applicable. Furthermore, radon, if present and causing a health effect, is expected to cause an extreme outcome leading to lung cancer or death, and hence no class 3 or 4 harms are applicable.

Table 6: Typical health outcomes and first year treatment costs for selected HHSRS hazards

Hazard	Class of Harm Outcome			
	Class 1	Class 2	Class 3	Class 4
Damp & mould growth	n/a	Type 1 allergy (£2,034)	Severe asthma (£1,027)	Mild asthma (£242)
Excess cold	Heart attack, care, death (£19,851)	Heart attack (£22,295)*	Respiratory condition (£519)	Mild pneumonia (£84)
Radon (radiation)	Lung cancer, then death (£13,247)	Lung cancer, survival (£13,247)*	n/a	n/a
Falls on the level	Quadriplegic (92,490)*	Femur fracture (£39,906)*	Wrist fracture (£1,545)	Treated cut or bruise (£115)
Falls on stairs & steps	Quadriplegic (£92,490)*	Femur fracture (£39,906)*	Wrist fracture (£1,545)	Treated cut or bruise (£115)
Falls between levels	Quadriplegic (£92,490)*	Head injury (£6,464)*	Serious hand wound (£2,476)	Treated cut or bruise (£115)
Fire	Burn, smoke, care, death (£14,662)*	Burn, smoke, care (£7,435)*	Serious burn to hand (£1,879)	Burn to hand (£123)
Hot surfaces and materials	n/a	Serious burns (£7,378)	Minor burn (£1,822)	Treated very minor burn (£123)
Collision & entrapment	n/a	Punctured lung (£5,152)	Loss of finger (£1,698)	Treated cut or bruise (£115)

* = the costs are as a result of treatments predicted to be required during the first 12 months – continuing care costs are likely after this period but these are not modelled.



The figures in **Table 6** have been consolidated as shown below, and used throughout the report:

Class 1 = £90,000

Class 2 = £30,000

Class 3 = £1,800

Class 4 = £120

The data has been used to calculate the cost to the NHS of incidents arising where category 1 hazards are estimated to be present. This was achieved by importing the data for York into a customised version of the BRE Health Cost Calculator spreadsheet developed as part of the Real Cost of Poor Housing⁴ project.

3.3.2 Costs to society

Costs to the NHS simply include costs which are directly related to the first year of treatment and do not take into account the more complex nature of the wider cost impacts to society. “The Real Cost of Poor Housing”⁴ report estimates that the costs to society are two and a half times those of the NHS costs i.e. the NHS costs only account for an estimated 40% of the total costs to society. Additional costs to society could include, but are not limited to, the following:

- Social services costs following discharge from hospital
- Capital value of the dwelling
- Loss of future earnings
- Increased spending on benefits
- Cost of moving
- Cost of enforcement action by councils

All costs are for a 12 month period. The results of the analysis of the costs to the NHS and to society of not mitigating hazards are provided in the next section, alongside the potential savings achievable from mitigating the hazards.

The costs to society are considered to be the preferred way of modelling health cost benefits as they represent a truer cost – for example, the fall hazards initially cause accidents that incur costs to the NHS but following on care costs can last for long periods. This cost to society based model is also preferred where the hazard is more likely to have an effect on children, as the outcomes can continue for a lifetime.

3.4 The costs and savings to health of interventions to reduce some of these hazards

3.4.1 Costs

The methodology for estimating costs to the NHS and to society of not mitigating hazards have been discussed in the previous section and the results for York are presented in the following tables, showing the annual costs to the NHS (**Table 7**) and the annual costs to society (**Table 8**).



Table 7: Estimated annual costs to the NHS of category 1 hazards in York, private sector stock (IMD lowest 20% is across all stock)

Housing hazard type	Potential annual costs to the NHS of category 1 hazards			
	Total Private Stock	Owner occupied	Private rented	IMD lowest 20%
Damp and mould growth	£32,330	£19,930	£12,400	£4,860
Excess cold	£507,650	£324,760	£182,890	£31,600
Crowding and space	£33,330	£20,540	£12,780	£5,010
Entry by intruders	£13,220	£8,150	£5,070	£1,990
Domestic hygiene, Pests and Refuse	£3,290	£2,030	£1,260	£490
Food safety	£4,260	£2,620	£1,630	£640
Personal hygiene, Sanitation and Drainage	£6,410	£3,950	£2,450	£960
Falls associated with baths etc	£69,620	£48,560	£21,060	£4,380
Falling on level surfaces etc	£324,360	£226,220	£98,140	£20,420
Falling on stairs etc	£1,133,650	£790,640	£343,010	£71,370
Falling between levels	£52,980	£32,650	£20,320	£7,970
Electrical hazards	£1,340	£830	£510	£200
Fire	£35,050	£21,600	£13,440	£5,270
Flames, hot surfaces etc	£34,320	£21,150	£13,160	£5,160
Collision and entrapment	£19,940	£12,290	£7,650	£3,000
TOTAL	£2,271,750	£1,535,920	£735,770	£163,320

N.B. Totals may not add up due to rounding

Table 8: Estimated annual costs to society of category 1 hazards in York, private sector stock (IMD lowest 20% is across all stock)

Housing hazard type	Potential annual costs to society of category 1 hazards			
	Total Private Stock	Owner occupied	Private rented	IMD lowest 20%
Damp and mould growth	£80,825	£49,825	£31,000	£12,150
Excess cold	£1,269,125	£811,900	£457,225	£79,000
Crowding and space	£83,325	£51,350	£31,950	£12,525
Entry by intruders	£33,050	£20,375	£12,675	£4,975
Domestic hygiene, Pests and Refuse	£8,225	£5,075	£3,150	£1,225
Food safety	£10,650	£6,550	£4,075	£1,600
Personal hygiene, Sanitation and Drainage	£16,025	£9,875	£6,125	£2,400
Falls associated with baths etc	£174,050	£121,400	£52,650	£10,950
Falling on level surfaces etc	£810,900	£565,550	£245,350	£51,050
Falling on stairs etc	£2,834,125	£1,976,600	£857,525	£178,425
Falling between levels	£132,450	£81,625	£50,800	£19,925
Electrical hazards	£3,350	£2,075	£1,275	£500
Fire	£87,625	£54,000	£33,600	£13,175
Flames, hot surfaces etc	£85,800	£52,875	£32,900	£12,900
Collision and entrapment	£49,850	£30,725	£19,125	£7,500
TOTAL	£5,679,375	£3,839,800	£1,839,425	£408,300

N.B. Totals may not add up due to rounding



It is worth noting that the cost to the NHS of excess cold hazards is £507,650, whereas focussing in on the three fall hazards where the vulnerable group is persons over 60 years of age, the total cost is over £1.5 million - as shown in **Table 9**. This gives an indication of the particularly high costs to the NHS (and society) of fall hazards in York.

Table 9: Estimated annual costs to the NHS of category 1 fall hazards where the vulnerable group is people over 60, private sector stock (IMD lowest 20% is across all stock)

Housing hazard type	Potential annual costs to the NHS of category 1 hazards			
	Total Private Stock	Owner occupied	Private rented	IMD lowest 20%
Falls associated with baths etc	£69,620	£48,560	£21,060	£4,380
Falling on level surfaces etc	£324,360	£226,220	£98,140	£20,420
Falling on stairs etc	£1,133,650	£790,640	£343,010	£71,370
TOTAL	£1,527,630	£1,065,420	£462,210	£96,170

N.B. Totals may not add up due to rounding

3.4.2 Savings

Alongside the costs, it is useful to look at the potential savings achievable from carrying out interventions to reduce hazards. These savings have been quantified by calculating the difference between the estimated costs of hazards to the NHS/society *before* mitigation work and the estimated costs *after* mitigation work²⁴. Savings are calculated where there is a sufficient degree of reliability. In some cases the reason for not presenting figures is not just insufficient numbers of dwellings where the hazard is present, but also insufficient confidence in the costs attributed to mitigating the hazard.

Table 10 shows the annual savings to the NHS by tenure where hazards are mitigated and **Table 11** shows the annual savings to society. These savings are also shown graphically in **Figure 6** and **Figure 7**.

²⁴ Here the difference between dwellings with a category 1 hazard and those with an average level of risk is calculated and as such implicitly assumes that it is not possible to mitigate 100% of risk.



Table 10: Estimated annual saving to the NHS from mitigating category 1 hazards, private sector stock (IMD lowest 20% is across all stock)

Housing hazard type	Potential annual savings to the NHS of category 1 hazards			
	Total Private Stock	Owner occupied	Private rented	IMD lowest 20%
Damp and mould growth	£32,230	£19,860	£12,360	£4,850
Excess cold	£456,890	£292,280	£164,600	£28,440
Crowding and space	£33,270	£20,500	£12,760	£5,000
Entry by intruders	£12,640	£7,790	£4,850	£1,900
Domestic hygiene, Pests and Refuse	£3,290	£2,030	£1,260	£490
Food safety	£4,250	£2,620	£1,630	£640
Personal hygiene, Sanitation and Drainage	£6,400	£3,940	£2,450	£960
Falls associated with baths etc	£69,230	£48,280	£20,940	£4,350
Falling on level surfaces etc	£291,920	£203,590	£88,330	£18,380
Falling on stairs etc	£1,053,870	£734,990	£318,870	£66,350
Falling between levels	£52,680	£32,470	£20,210	£7,920
Electrical hazards	£1,340	£820	£510	£200
Fire	£34,700	£21,380	£13,310	£5,220
Flames, hot surfaces etc	£33,290	£20,520	£12,770	£5,010
Collision and entrapment	£18,560	£11,440	£7,120	£2,790
TOTAL	£2,104,560	£1,422,510	£681,970	£152,500

N.B. Totals may not add up due to rounding

Table 11: Estimated annual savings to society from mitigating category 1 hazards, private sector stock (IMD lowest 20% is across all stock)

Housing hazard type	Potential annual savings to society from mitigating hazards			
	Total Private Stock	Owner occupied	Private rented	IMD lowest 20%
Damp and mould growth	£80,575	£49,650	£30,900	£12,125
Excess cold	£1,142,225	£730,700	£411,500	£71,100
Crowding and space	£83,175	£51,250	£31,900	£12,500
Entry by intruders	£31,600	£19,475	£12,125	£4,750
Domestic hygiene, Pests and Refuse	£8,225	£5,075	£3,150	£1,225
Food safety	£10,625	£6,550	£4,075	£1,600
Personal hygiene, Sanitation and Drainage	£16,000	£9,850	£6,125	£2,400
Falls associated with baths etc	£173,075	£120,700	£52,350	£10,875
Falling on level surfaces etc	£729,800	£508,975	£220,825	£45,950
Falling on stairs etc	£2,634,675	£1,837,475	£797,175	£165,875
Falling between levels	£131,700	£81,175	£50,525	£19,800
Electrical hazards	£3,350	£2,050	£1,275	£500
Fire	£86,750	£53,450	£33,275	£13,050
Flames, hot surfaces etc	£83,225	£51,300	£31,925	£12,525
Collision and entrapment	£46,400	£28,600	£17,800	£6,975
TOTAL	£5,261,400	£3,556,275	£1,704,925	£381,250

N.B. Totals may not add up due to rounding



Table 10 shows that the total potential annual saving to the NHS is £2.1 million and for the hazard of excess cold the potential annual saving to the NHS is over £450,000.

Table 10 shows that within the private rented sector it is estimated that the NHS could save an estimated £681,970 annually if all category 1 hazards were mitigated. The cost of these works could be recovered from private sector landlords during enforcement activities.

For the fall hazards most likely to affect older persons (defined earlier as falls involving stairs and steps, associated with baths and trips and slips) the potential saving to the NHS is £1.4 million as shown in **Table 12**. Savings to society are two and a half times this figure.

Table 12: Estimated annual savings to the NHS from mitigating fall hazards where the vulnerable group is people over 60, private sector stock (IMD lowest 20% is across all stock)

Housing hazard type	Potential annual savings to the NHS of category 1 hazards			
	Total Private Stock	Owner occupied	Private rented	IMD lowest 20%
Falls associated with baths etc	£69,230	£48,280	£20,940	£4,350
Falling on level surfaces etc	£291,920	£203,590	£88,330	£18,380
Falling on stairs etc	£1,053,870	£734,990	£318,870	£66,350
TOTAL	£1,415,020	£986,860	£428,140	£89,080

N.B. Totals may not add up due to rounding

Figure 6: Estimated annual savings to the NHS from mitigating hazards in York, all private sector stock and split into tenure (IMD lowest 20% is across all stock)







Figure 7: Estimated annual savings to society from mitigating hazards in York, all private sector stock and split into tenure (IMD lowest 20% is across all stock)






3.5 Health cost benefit scenarios

Taking this a step further it is possible to look at a cost benefit analysis and determine the likely payback periods of mitigating hazards. The payback period is the time taken to break even on an investment and, in this case, is based on the cost of mitigating the hazard and the savings achieved from carrying out the mitigation work to an individual dwelling. **Figure 8** below shows how the cost benefit methodology works.

Figure 8: Calculating savings and simple payback periods²⁵



In some cases mitigating category 1 hazards in York will be too expensive and not cost effective. An example might be where a flight of stairs is too steep and narrow but the dwelling has no room for replacement stairs and demolition is the only option. Such dwellings are exceptional but there is still an argument for mitigating the easier to fix hazards first and therefore scenarios based on mitigating the least expensive hazards first have been developed. These scenarios are:

- Mitigation of the least expensive 20% of hazards
- Mitigation of the least expensive 50% of hazards

Because it is not possible to account for building type, local knowledge of the particular characteristics will be important for making decisions on whether a particular dwelling type is more cost effective for priority spending or whether the decision should be made in accordance with occupier need.


The results for each hazard assessed are depicted in **Figure 9** which shows that the lowest payback periods are always achieved for the society analysis because the savings are greater than for the NHS but the mitigation costs are the same. The hazards with the shortest payback periods are falls associated with baths and collision and entrapment since mitigation of these hazards can be achieved at relatively low cost. The hazards with the longest payback periods are those which are more complex and therefore more costly to mitigate, such as damp and mould, excess cold and crowding and space.

Figure 9: Payback periods for the NHS and society by hazard – where the least expensive 50% and 20% of hazards are mitigated, private sector stock (N.B. some payback periods are less than one year as the

²⁵ The Price of Health, Environmental Health News, Issue 5, 12/03/2010



mitigation costs are so low and are shown as zero on this chart, hazards not shown on this chart have not been assessed here as there is insufficient data, either as the hazards are not present in sufficient numbers or there is insufficient background information from EHS data)



Appendix D provides the detailed results for all hazards modelled in the cost benefit analysis to help aid decision makers on the most cost effective solutions. The results are produced for each hazard and by tenure and also show the results for mitigating all hazards, rather than just the least expensive proportions.

In the remainder of this section some of the main hazards found within York in terms of estimated total number of hazards, are covered in more detail.

3.5.1 Fall hazards affecting older people


The fall hazards where the vulnerable group is persons over 60 are defined as falls involving stairs and steps, associated with baths and trips and slips (falls on a level surface).

Falling on stairs

Figure 10 shows the estimated annual costs and savings to society if the least expensive 50% of falling on stairs hazards were mitigated. This shows that an annual spend of around £60,000 could result in a saving of around £500,000 to society annually by year 10. It should be noted that these are optimum figures and in reality it would be difficult to carry out a scenario such as that suggested for only tackling the least expensive 50% of dwellings but it is likely that for practical purposes a large proportion of such dwellings may be missing something as simple as a hand rail and this analysis clearly shows the benefit.



Figure 10: Potential annual costs and savings to society of mitigating the least expensive 50% category 1 falling on stairs etc. hazards in all private sector dwellings



The disadvantage of carrying out easy work first is that the more difficult work is left for future years. The average cost of work suggested in the 50% scenario is £190 per dwelling.

For the hazard of falling on stairs, two additional scenarios have been developed which consider the effect of targeting all the hazards (least expensive first) with a capital budget of:

- £50,000 per year
- £100,000 per year

The results are shown in **Figure 11** and **Figure 12** and demonstrate the cumulative savings over a 10 year period. The cumulative saving where £50,000 is spent every year for 10 years is £2.7 million. Where £100,000 is spent every year for 10 years the cumulative saving is almost £3.6 million.



Figure 11: Targeting falling on stairs hazards with a capital budget of £50,000 per annum, private sector stock (the least expensive hazards first)





Figure 12: Targeting falling on stairs hazards with a capital budget of £100,000 per annum, private sector stock (the least expensive hazards first)





The other fall hazards that affect older people

These hazards are falling on level surfaces, commonly called slips and trips, and falls associated with baths. Again the payback periods are short – 1 to 2 years where the cheapest 20% and 50% of hazards are mitigated (see **Figure 9**).

Figure 13 shows that over £290,000 per year could be saved if all trip and slip hazards were mitigated. Unavailable savings refer to the fact that it is impossible to eliminate all risk.

Figure 13: Estimated annual saving to society of mitigating category 1 falling on the level hazards, private sector stock




3.5.2 Excess cold

Whilst the hazard of excess cold has the second largest total number of estimated hazards in York, it can be seen from **Figure 9** that the payback periods associated with this hazard are generally longer than for many of the other hazards. This is due to the higher costs of work generally required to mitigate excess cold, however where the 20% least expensive works are carried out the benefits can be seen in 7 years for the NHS and 3 years for society. **Figure 14** shows the annual costs and savings to society where the least expensive 20% of excess cold hazards were mitigated over 10 years - from year 10 there is an estimated annual saving of just over £90,000.




Figure 14: Annual costs and savings to society where the least expensive 20% category 1 excess cold hazards were mitigated over a 10 year period in all dwellings, private sector stock



Focussing in on the private rented sector - of which there are an estimated 1,088 excess cold category 1 hazards in York (see **Table 3**) - **Figure 15** shows the savings to society that could be expected if landlords were required to mitigate these hazards. It is important to remember that the responsibility for improvement works to rented properties lies with the landlord; therefore the cost of repairs may not be borne by the local authority or NHS.

Figure 15: Annual costs and savings to society where all category 1 excess cold hazards were mitigated over a 10 year period, private rented stock





3.5.3 Damp and mould

The category 1 damp and mould hazards estimated to be present within York are considered to be important as the vulnerable group for this hazard is children under 14, and the effects can last over a lifetime. **Figure 16** shows the potential high percentage saving where this hazard is mitigated (around 0.3% being due to cost savings that *cannot* be made by improving damp and mould hazards associated with the dwelling – i.e. unavailable savings, which refer to the fact that it is impossible to eliminate all risk). The payback periods are around 2 to 3 years where the cheapest works are carried out (see **Figure 9**).

Figure 16: Estimated annual savings to society if all category 1 damp and mould hazards are mitigated, private sector stock




3.5.4 Crowding and space and entry by intruders

Both of these hazards have more psychological health effects than physical, therefore the cost and potential savings to the NHS and wider society are more difficult to measure. It is also difficult to accurately predict the costs to mitigate these hazards as simply building more dwellings may not be possible. **Figure 17** looks at the cumulative effect over 25 years and shows the long term effect and cost of harms of doing nothing²⁶.

²⁶ For simplicity, a 0% interest rate has been assumed. Whilst this is unlikely, it is expected that both costs and benefits will have similar rates and that the overall effect in comparison terms will be similar.



Figure 17: Cumulative effect to society of category 1 crowding and space hazards in all dwellings, private sector stock



3.5.5 Accident hazards affecting children

Falling between levels, electrical hazards, flames and hot surfaces and collision and entrapment are all more likely to affect children. Measuring the cost savings to the NHS or to society of mitigating these hazards is more difficult because of the scattered nature of the hazards within the housing stock and whether children are present within those dwellings presenting the hazards, but some indications are given in **Figure 9** which shows that fixing the cheaper hazards can give a payback period to society of 1 to 2 years or less.

4 Analysis of Quality Adjusted Life Years (QALYs) relating to housing hazards

4.1 Health economics

When evaluating any intervention it is perhaps as important to consider the benefits that arise as it is to consider the costs. In the early days of health economic evaluation, the benefits of interventions were measured in clinical outcomes. The problem with this is that it limits making comparisons between interventions for different conditions. First proposed back in the mid-1980s, the Quality Adjusted Life Year (QALY) has been introduced and is used by the NHS to measure benefit.

4.2 What is a QALY?

A QALY takes into account both the *quantity* and *quality* of life generated by health influencing activities. The National Institute for Health and Clinical Excellence (NICE) defines the QALY as a '*measure of a person's length of life weighted by a valuation of their health-related quality of life*'. It is the arithmetic product of life expectancy and a measure of the quality of the remaining life-years.

In the calculation of QALYs, the number of life years over which an individual will experience a particular condition or life expectancy is combined with an assessment of their quality of life during those years. Quality of life in the calculation of QALYs is measured on a 0 to 1 scale where 0 is equated to 'being dead' and 1 is 'full/normal health'. Values between 0 and 1 are known as 'health state utilities'. This can therefore embrace a whole range of different elements of people's lives, not just their health status.

4.2.1 Medical example²⁷


The calculation of a QALY can be illustrated using a hypothetical example, as illustrated in **Figure 18**. For a patient with chronic renal failure the standard treatment is dialysis, with which the patient would live for 10 years and their quality of life (utility value) is measured at 0.6, so this person would have 6 QALYs. An alternative to dialysis is a kidney transplant. If a patient has a transplant their life expectancy could increase by 10 years (from 10 years to 20 years) and would return the patient to full health (i.e. a utility value of 1)²⁸. A person who had a transplant would therefore have 20 QALYs. The QALY gain from having a transplant over continuing dialysis is therefore 14 QALYs (20 – 6) as shown by the shaded area in **Figure 18**.

²⁷ http://www.gcph.co.uk/latest/blogs/334_economics_of_public_health_blog_6

²⁸ In reality many such patients will suffer from background morbidity.



Figure 18: Diagram showing how QALYs are calculated using a medical example



4.2.2 Incremental Cost-Effectiveness Ratio (ICER)

Having used the QALY measurement to compare how much someone's life can be extended and improved, NICE then consider cost effectiveness in terms of the cost of the drug or treatment per QALY. This is the cost of using the drugs or treatment to provide a year of the best quality of life available - it could be one person receiving one QALY, but is more likely to be a number of people receiving a proportion of a QALY - for example 20 people receiving 0.05 of a QALY. Different treatments can therefore be compared using the Incremental Cost-Effectiveness Ratio (ICER) expressed as '£ per QALY'. Each drug would be considered on a case-by-case basis. Generally, however, if a treatment costs more than £20,000-30,000 per QALY, then it would not be considered cost effective.

4.3 Using HHSRS data

The cost of poor housing calculations discussed earlier in this report look at a preventative measure which would reduce the probability of harm occurring, rather than a treatment which might improve a person's quality of life. It is therefore difficult to make a direct comparison with the described NICE methodology. However, it is possible to apply a QALY calculation to the model to determine the cost effectiveness of different interventions. A number of assumptions have been made to enable calculation.

Firstly, it is assumed that the norm is no intervention to the hazard - thus the quality of life frame-of-reference is based on a vulnerable person living in the current conditions of the house for the next 12 months. In a similar way to the cost-benefit analysis, there is a probability that harm will occur to the individual in that timeframe. The severity of this potential harm is also defined by a probability distribution of possible harm outcomes. It is also assumed that the probability of harm and possibly the distribution of harm outcomes will be changed if an intervention occurs. The same probabilities and harm distributions used in the cost benefit analysis can be used in the QALY estimate.

4.3.1 Quality of life

Under the cost benefit model, a cost to the NHS value is estimated for each level of harm. A similar estimation process can be used for the QALY calculation. It is therefore assumed that the level of harm for Class I is 1 QALY (since Class I is an extreme health outcome such as death) and that the other harms are based on the proportion of severity between the harms already established within the HHSRS methodology, see **Table 13**.

**Table 13:** Comparison ratios for HHSRS harms and QALY estimates

Hazard	Class I	Class II	Class III	Class IV
HHSRS harm ratios	10,000	1,000	300	10
Equivalent QALY estimate	1	0.1	0.03	0.001

4.3.2 Quantity of life

The age of the person in the vulnerable group is different for different hazards. It is assumed that the vulnerable person in each assessment will live to the average life expectancy for the nation, currently 81 years of age. The number of QALYs for a person experiencing a Class I harm should therefore be multiplied by the number of years lost. Hence for some hazards the vulnerable person is 65 years old, and the number of QALYs for a Class I harm would then be $81-65 = 16$. For a hazard affecting a young person of 5 years of age, the QALY for a Class I harm would be $81-5 = 75$.

4.3.3 Applying York's data

Applying this calculation to the Housing Stock Model data for York enables the production of a number of variables which can be used to compare hazards. Firstly, it is possible to calculate the QALY cost of category 1 hazards before mitigation where harm will statistically occur. For example, if there are 10 category 1 hazards where it has been estimated that there is a 1 in 10 likelihood of a harmful occurrence over the next twelve months, statistically over the next year, there is a certainty that one harmful event will occur from this group of hazards. If harm is definitely expected within the year, the harm distribution (i.e. how likely the harmful event is to fall within each of the four classes of harm) can be calculated giving a value for QALYs lost. Hazards with a higher probability of death clearly stand out, such as excess cold, falling on stairs and overcrowding. The total QALY saving if the repairs are carried out can be seen in **Table 14**. Since the cost of repair is known, the ICER for each hazard can be estimated. Only two of the hazards, however, have an ICER under £30,000 (falls associated with baths, collision and entrapment).

Table 14: The QALY benefit and ICER of reducing HHSRS category 1 hazards to an acceptable level

Housing hazard type	QALY years for all stock (years)			ICER before work
	Before work	After work	Saving	
Damp and mould growth	3	0	3	£206,044
Excess cold	85	9	77	£163,003
Crowding and space	11	0	11	£41,158
Entry by intruders	1	0	1	£69,721
Domestic hygiene, Pests and Refuse	0	0	0	£1,445,824
Food safety	0	0	0	£1,573,813
Personal hygiene, Sanitation and Drainage	0	0	0	£737,985
Falls associated with baths etc	9	0	9	£20,000
Falling on level surfaces etc	5	1	5	£226,965
Falling on stairs etc	100	10	90	£57,426
Falling between levels	7	0	7	£58,835
Electrical hazards	0	0	0	£105,401
Fire	7	0	7	£96,607
Flames, hot surfaces etc	3	0	3	£174,105
Collision and entrapment	5	0	5	£26,635
TOTAL	238	19	219	£5,003,522



It is worth noting that the ICER figures in **Table 14** are based on treating category 1 hazards across the whole stock, regardless of repair costs. As has been demonstrated above with the health cost benefit scenarios, the cost distribution of repairs for each hazard varies considerably and therefore, if less expensive repairs to mitigate category 1 hazards were selected, the ICER would be more favourable. **Table 15** shows the hazards which now have an ICER below £30,000, based on mitigating hazards with lower repair costs (only hazards that provide an ICER of below £30,000 for more than 10% of their original numbers are shown). Assessing the data in such a way means that the total number of hazards with an ICER below £30,000 is increased from 2 to 9. The total number of QALYs that could be saved by improving the housing stock and mitigating these 5,482 category 1 hazards is therefore around 91, with falls on stairs and excess cold standing out as hazards with a good QALY return for the treatment costs.

The cost distribution of mitigating category 1 hazards is determined for the health cost benefit scenarios and therefore it is also possible to estimate the total cost of works required to mitigate only those category 1 hazards that would provide an ICER below £30,000. **Table 16** shows the total cost of such works as well as the maximum cost to mitigate a hazard which could be considered cost effective. For example on falls on stairs the maximum acceptable repair cost is estimated to be £405.

Table 15: Determining the proportion of category 1 hazards that have an average cost of repair at a value to generate an ICER of £30,000 or below

Housing hazard type	Original no. of category 1 hazards	% of all category 1 hazards	No. of category 1 hazards	Total QALY saving of repair (years)
Damp and mould growth	96	19.6%	18	0.7
Excess cold	3,020	28.1%	849	21.5
Crowding and space	27	<10%	-	-
Entry by intruders	59	39.0%	22	0.3
Domestic hygiene, Pests and Refuse	31	<10%	-	-
Food safety	22	<10%	-	-
Personal hygiene, Sanitation and Drainage	34	<10%	-	-
Falls associated with baths etc	344	70.0%	240	6.3
Falling on level surfaces etc	1,529	<10%	-	-
Falling on stairs etc	6,661	57.5%	3,829	51.7
Falling between levels	471	38.2%	180	2.8
Electrical hazards	6	<10%	-	-
Fire	191	39.1%	74	2.8
Flames, hot surfaces etc	237	57.6%	136	1.9
Collision and entrapment	194	69.3%	134	3.5
TOTAL	12,920	-	5,482	91.5



Table 16: Estimating the total cost of works to mitigate all category 1 hazards that would produce an ICER of below £30,000 i.e. dealing with the least expensive to mitigate hazards

Housing hazard type	Threshold cost	Mean cost of works below threshold	Total cost of work
Damp and mould growth	£1,078	£809	£17,485
Excess cold	£760	£469	£434,127
Crowding and space	£12,329	-	-
Entry by intruders	£455	£275	£7,252
Domestic hygiene, Pests and Refuse	-	-	-
Food safety	£47	-	-
Personal hygiene, Sanitation and Drainage	£47	-	-
Falls associated with baths etc	£780	£307	£78,644
Falling on level surfaces etc	£93	-	-
Falling on stairs etc	£405	£293	£1,193,798
Falling between levels	£472	£336	£69,741
Electrical hazards	-	-	-
Fire	£1,120	£674	£57,872
Flames, hot surfaces etc	£420	£167	£26,297
Collision and entrapment	£780	£387	£59,879
TOTAL	-	-	£1,945,094



5 Conclusion

This prospective HIA has quantified the number of private sector dwellings in York which are in poor condition and estimated the effect on the health of occupiers of each of the hazards considered. The study has also assessed the costs of prospective mitigation measures to reduce the number of hazards. The costs to the NHS and to wider society of treating health issues caused by these hazards was then considered, followed by the financial benefits of reducing these hazards. Finally, various cost benefit scenarios were investigated, focussing on mitigating those hazards which are least costly to mitigate.

The costs of 15 of the 29 HHSRS hazards associated with housing have been quantified by this report. These are estimated to account for 94% of category 1 hazards within York. These are the most common hazards and the costs to health are therefore expected to be the largest; however, other hazards causing poor health outcomes will be present and will still need mitigating when found.

The headline results show that there are an estimated total number of hazards in private sector housing in York of 12,920, which we estimate will give rise to 541 incidents requiring medical intervention per year. The greatest numbers of hazards are for falling on stairs etc. and excess cold. The total annual cost to society of poor housing is estimated to be £5.7 million; of which £3.8 million is for fall hazards affecting older people and £1.3 million is for cold dwellings.

The savings in monetary terms to the NHS are not the only savings however; asthma and respiratory infections could mean work and school days lost, affecting both the household's and the national economy and educational attainment. Interest rates are excluded, as costs to both mitigation work and health are expected to rise. The fall hazards initially cause accidents that incur costs to the NHS, but following this, care costs can last for long periods. The costs to society are therefore considered to be the preferred way of modelling health cost benefits as they represent a truer cost. This cost to society based model is also preferred where the hazard is more likely to have an effect on children, as the outcomes can continue for a lifetime.

All costs are based entirely on estimated costs of carrying out work and modelled costs of harm to health.

All the fall hazards show a short payback period and demonstrate the health cost benefit to the NHS of preventing falls. In contrast the higher mitigation costs generally associated with excess cold result in longer payback periods which results in a less compelling case for investment despite the health implications being significant. The greatest cost saving to the NHS would be where falling on stairs can be prevented or reduced. Falling on level surfaces and falls associated with baths show the shortest payback periods. The most vulnerable group associated with these hazards is the over 60 year olds. This is the fastest growing age group within the population which has implications for future health costs caused by hazards in dwellings. The following figures published in the Handy Persons evaluation report²⁹ concur with the York HIA:

These preventive services are cost effective; for example:

- postponing entry into residential care by a year saves on average £28,080 per person
- preventing a fall leading to a hip fracture saves the state £28,665 on average

²⁹ Handy Person Literature Review, Karen Croucher and Karin Lowson, The University of York, Department for Communities and Local Government, 2012



- housing adaptations reduce the costs of home care (saving £1,200 to £29,000 a year)
- hospital discharge services speed up patient release, saving £120

An analysis by Care and Repair Cymru of the outcomes of their Rapid Response Adaptations³⁰ programmes identified that every £1 spent generated £7.50 cost savings to the NHS. These savings were associated with quicker hospital discharge, prevention of people going into hospital and prevention of accidents and falls in the home.

This HIA report highlights the areas where intervention actions would produce positive health impacts. The tables present a range of alternatives which should help City of York Council look at the health impact of its policies and actions with regard to housing interventions, and to make the case for funds to help to mitigate category 1 hazards. The tables should also help to make justifiable decisions concerning the most effective areas for spending.

This report contains early use of the methodology developed by BRE to estimate the cost of poor housing in terms of QALYs. It suggests that if all category 1 hazards in the private sector were mitigated, around 219 QALYs could be realised. When the costs of repairs are compared to the QALY benefit, the most cost effective repairs are those targeting falls associated with baths and collision and entrapment.

5.1 Recommendations for possible interventions

The figures in this report will require careful consideration and can be fed into the JSNA and the Health and Wellbeing Boards to decide where resources can best be targeted. To aid this process, the following recommendations are made:

1. The areas with the largest number of category 1 hazards will represent some of the poorest housing in York, and action to improve these dwellings should be of the greatest benefit. The BRE Housing Stock Models give more information on these areas.
2. These areas with the largest number of category 1 hazards, such as Guildhall, Micklegate and Clifton, should be compared to areas showing the greatest deprivation for example using the English Index of Multiple Deprivation 2015. Following this process it will be easier to decide whether targeting geographical areas could be the preferred method of maximising the reduction of the health impact of poor housing.
3. Further details on the distribution of particular hazards may be found through interpretation of private sector housing enforcement complaints and local officer knowledge. Analysis using the Housing Health Cost Calculator (HHCC)³¹ will quantify this data.
4. Within the private rented sector, the annual cost to society of category 1 hazards is around £1.8 million. Work to mitigate these hazards will need to be carried out by landlords in accordance with legislation in the Housing Act 2004. To facilitate this, an active housing enforcement strategy is necessary.

³⁰ Written by Jeremy Porteus, Author of All Party Parliamentary Group on Housing with Care for Older People, Living Well at Home Inquiry Report for the Housing Learning and Improvement Network Housing LIN, Viewpoint 21, November 2011

³¹ www.housinghealthcosts.org



5. Landlord Accreditation Schemes can help to educate landlords on the need to mitigate hazards.
6. The hazard of damp and mould particularly affects children and can cause long term effects that may well be underestimated by this piece of work (the evidence is not available to quantify the true cost over a long time period). Flames and hot surfaces and falling between levels also specifically affect children. Education using a multi-agency approach with health visitors or through Children's Centres and accessing local knowledge will be crucial to reducing these hazards. In the private rented sector professionals should be made more aware of landlord duties.
7. The evidence indicates that initiatives to reduce the incidence of falls at home should be one of the more cost effective strategies with payback periods to society of 2 years or less. The cost benefit scenarios show that the best value initiatives will look to small-scale repair or improvement works to stairs, trip hazards within the home and to uneven paths. Targeting this initiative towards dwellings occupied by persons over 60 will bring the greatest benefit.
8. The fitting of improved security measures reduces the hazard of entry by intruders, and again the evidence shows that the less expensive actions of fitting additional locks to windows and doors will be more cost effective than complex burglar alarms.
9. The scenario tables in **Appendix D** show the expected costs of work to mitigate the individual hazards over a period of 3, 5 and 10 years along with the payback period in terms of savings to the NHS and society. These tables can be used to give some financial quantification towards planning a strategy.
10. It is recommended that HHSRS assessments of the hazards discussed above are recorded as they allow future associated health costs to be quantified. The estimated cost of mitigation work should also be recorded. In addition to the hazards discussed in this HIA, the following hazards are also likely to be important and the same approach should be applied:
 - Carbon monoxide
 - Food safety
 - Personal hygiene, sanitation and drainage
13. This HIA only considers quantitative interventions. By recording the results of positive qualitative interventions, further evidence can be gathered of the effect on individuals of mitigating hazards. A series of case studies could be built up to help demonstrate the positive effects.
14. There are a number of good practice case studies available:
 - Local Government Association (LGA) "Healthy homes, healthy lives"³² report
 - New Local Government Network (NLGN) report "A design for life: How councils and housing associations can collaborate for impact"³³
 - DECC "Catalogue of health-related fuel poverty schemes"³⁴

³² http://www.local.gov.uk/documents/10180/5854661/L14+-+85+Housing+and+Health+case+studies_14.pdf/b4620ef6-87bc-4e12-964a-5cbd4433dd47

³³ <http://www.nlgn.org.uk/public/wp-content/uploads/A-DESIGN-FOR-LIFE.pdf>

³⁴ https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/451025/DECC_FINAL.pdf



- 15 Considering QALYs, there are only two types of hazard where if mitigated across the whole housing stock would yield an ICER of under £30,000 (falls associated with baths, collision and entrapment). As the estimated prevalence of collision and entrapment hazard is very low, in terms of QALYs the best value for money would be to invest in prevention services that deal with reducing risks from falls associated with baths. If hazards with lower costs to remedy could be identified within each housing hazard type, more favourable ICERs could be attained and the numbers of hazards that could provide an ICER below £30,000 increased from 2 to 9. This would include for example, the least costly to mitigate hazards of falling on stairs, excess cold and damp and mould categories. Through identification and addressing the least expensive hazards to mitigate first, QALYs can be saved which offer the best value for money.



Appendix A Brief explanation of the HHSRS hazard score calculation and banding reproduced from the Operating Guidance³⁵

This appendix provides a brief explanation of the Housing Health and Safety Rating System (HHSRS) for a fuller explanation the Operating Guidance should be consulted³⁵.

HHSRS requires an assessment by a surveyor who considers both:

1. The likelihood of an occurrence of the identified hazard resulting in harm to a member of the vulnerable group over the next 12 months. This is expressed as a ratio.
2. The range of potential outcomes from such an occurrence – i.e. the spread of possible harms. This is expressed as a percentage for each of the four classes of harm.

This information is then combined with a weighting for each class of harm which is given in the guidance – this generates a hazard score. The different classes of harm and their respective weightings and examples are provided in the table below.

Classes of harms and weightings used in the HHSRS

Class	Examples	Weightings
Class I	Death, permanent paralysis below the neck, malignant lung tumour, regular severe pneumonia, permanent loss of consciousness, and 80% burn injuries	10,000
Class II	Chronic confusion, mild strokes, regular severe fever, loss of a hand or foot, serious fractures, very serious burns and loss of consciousness for days	1,000
Class III	Chronic severe stress, mild heart attack, regular and persistent dermatitis, malignant but treatable skin cancer, loss of a finger, fractured skull, severe concussion, serious puncture wounds to head or body, severe burns to hands, serious strain or sprain injuries and regular and severe migraine	300
Class IV	Occasional severe discomfort, chronic or regular skin irritation, benign tumours, occasional mild pneumonia, a broken finger, sprained hip, slight concussion, moderate cuts to face or body, severe bruising to body, 10% burns and regular serious coughs or colds	10

³⁵ Housing Health and Safety Rating System Operating Guidance, Housing Act 2004, Guidance about Inspections and Assessments given under Section 9, ODPM, 2006



The method of calculating the hazard score using these three pieces of information uses the sum of the products of the weightings for each class of harm, multiplied by the likelihood of an occurrence, and the percentage spread of harms. The table below, reproduced here from the guidance, shows the formula used to generate the hazard score. Hazard scores of over 1,000 are deemed to be a category 1 hazard and any dwelling with such a hazard is considered to be below the minimum acceptable standard for housing, thus classified as “poor housing”.

The HHSRS formula used to generate the hazard score

Figure 1 – The HHSRS Formula						
		Class of Harm Weighting		Likelihood		Spread of Harm (%)
SI	=	10,000	X	$\frac{1}{L}$	X	O1
SII	=	1,000	X	$\frac{1}{L}$	X	O2
SIII	=	300	X	$\frac{1}{L}$	X	O3
SIV	=	10	X	$\frac{1}{L}$	X	O4
				Hazard Score = (S1 + S2 + S3 + S4)		

Where –
 L = the Likelihood of an occurrence
 O = the Outcome expressed as a percentage for each Class of Harm
 S = the row product for each Class of Harm.

Surveyors carrying out HHSRS assessments are required, in accordance, with the Operating Guidance to use “representative scale points” to judge the likelihood and spread of harm outcomes. This means that a single figure is used to represent a range of likelihoods or harm outcomes. The same procedure is used throughout the calculations underpinning this HIA report. The assessment methodology requires a consideration of the “average” hazard within a dwelling and how the dwelling being assessed compares with that average. Within all dwellings there are already some potential hazards e.g. electrical systems, stairs etc. and therefore hazards are only assessed when they are considered to be significant. The Operating Guidance provides details of the average expected likelihoods and spread of harm outcomes for each hazard.

It is the percentage harm outcome score for each class of harm that provides the information to generate the costs of harm data developed for the HIA.



Appendix B Description of hazards

Hazards leading to physiological conditions

Damp and mould growth

Physiological health effects from asthma associated with allergens and dust mites, which prefer a humid environment for growth, are the most important negative health outcomes for under 14 year olds (the vulnerable age group). Whilst this hazard is predominantly associated with physiological conditions, the HHSRS guidance states that “the mental and social health effects of mould or damp staining and the smells associated with damp and mould can cause depression and anxiety” and that these “feelings of shame and embarrassment can lead to social isolation”. These psychological impacts can have an effect on all ages and the household as a whole which can last a lifetime.

Excess cold

The hazard of excess cold particularly affects older people, and the vulnerable group are those over 65 who are expected to spend a greater degree of time indoors. Excess cold has been shown to contribute to a worsening of symptoms of other illnesses such as rheumatoid arthritis and leg ulcers. Extreme harm caused by excess cold can be death, or a heart attack followed by death. Severe and serious harm outcomes lead to cardiovascular and respiratory illnesses.

Asthma and respiratory infections could also mean work and school days lost, affecting both the household's and the national economy and educational attainment. This is evidenced by the recent report by the Marmot review team³⁶ giving evidence of the effect of excess cold on children and vulnerable families, as well as on older people.

Hazards leading to psychological conditions

Crowding and space

Potential harm can affect any age group. Lack of space and overcrowded conditions have been linked to a number of health outcomes including psychological distress and mental disorders, especially those associated with a lack of privacy and childhood development. Crowding also poses an increased hygiene risk, a spread of infectious disease and accidents.

Overcrowding does not occur in isolation and a recent study into multiple risk factors³⁷ showed that overcrowding for young children was significantly linked to other problems faced by parent(s) with whom they lived, including: financial stress, not working, violence at home, alcohol abuse and depression.

Entry by intruders

This hazard can affect any age group and the potential health effects are the fear of a possible burglary, the stress and anguish caused by a burglary and injuries associated with an aggravated burglary. The most common health impact, which occurs in 90% of cases where an incidence is recorded as likely, is fear and associated stress which can lead to other conditions. This may be due to insecure windows or

³⁶ The Health Impacts of Cold Homes and Fuel Poverty, Marmot Review Team for Friends of the Earth, 2011

³⁷ Multiple risk factors in young children's development by Sabates, R and Dex, S, 2011



doors but can also apply where door entry systems are inadequate or security lights would reassure the occupiers.

Hazards that can cause accidents

Falls associated with baths etc.

Injuries arising from a fall in bathrooms may be more severe both because the person falling is not protected by clothing and because of the hard projections and surfaces commonly found. Children are the most likely to fall but older people suffer greater harm and are therefore considered as the most vulnerable group. Injuries to an elderly person typically result in a general deterioration leading to cardio-respiratory illness including heart attack and pneumonia.

Falling on stairs etc.

Falls on stairs account for 25% of all falls in the home, and are more likely than other falls to lead to a fatality or extreme health outcome. Fractures of the neck of the femur (hip fractures) are commonly associated with falling on stairs. Although any age group can fall on stairs, a fall affecting an elderly person is more likely to result in a general deterioration of health and the vulnerable group is considered to be persons over 60.

Falling on level surfaces etc.

Falls on the level within the home are more common than falls on stairs, but they are less likely to lead to significant harm outcomes, and consequently there are generally fewer category 1 falling on level surfaces hazards than there are falling on stair hazards. The health effects are physical injury, including fractures, but health deterioration following a fall can lead to death or cardio respiratory illness. The vulnerable group is persons aged 60 and over.

This type of fall hazard can be considered alongside falling on stairs and falling on the level, as all three hazards have a greater effect on persons over 60.

Falling between levels

Situations typically included are falls from windows, balconies, landings and climbable roofs. The health outcomes will range from a fatality from a fall from a high building to a few bruises when a less serious fall is cushioned. The vulnerable group for this hazard is children under 5.

Electrical hazards

When electricity passes through the human body, it causes shock to the nervous system. The shock effect ranges from mild tingling sensations to disruptions of the regular contractions of the heart or respiratory muscles, causing death. Heat generated can cause burns. The majority of injuries are not severe. The most vulnerable group are those under 5 years of age as they are not so aware of the dangers.

Fire

The health outcomes associated with this hazard are burns. The vulnerable group for this hazard is persons over 60 due to impairment of mobility.

Flames and hot surfaces

Common causes of injuries due to this hazard involve utensils containing hot liquids being pulled over, most often in the kitchen. The vulnerable group for this hazard is persons under 5 years old and over half the injuries recorded are to this age group.



Collision and entrapment

This hazard includes both colliding with parts of the building such as low beams and glazing and the trapping of limbs including fingers. The most common accident in this group (most often to a child) involves part of the body being trapped in a door.

Other hazards

Other housing hazards are present within dwellings in York but not of sufficient numbers for further analysis.



Appendix C Data sources

C.1 Number of dwellings with a category 1 HHSRS hazard

In order to carry out a HIA it is necessary to determine the number of dwellings that suffer from each of the HHSRS hazards for which an impact assessment is to be carried out^[1]. BRE have calculated the expected numbers for each hazard using the BRE housing stock model and data from the EHS using the following process:

1. Obtain the data from the dwelling level housing stock model produced by BRE for City of York Council in 2015, regarding category 1 hazards.
2. In order to estimate the number of dwellings in York with a falling on the stairs hazard, the number of dwellings with a category 1 falling on stairs as a percentage of all dwellings with any type of fall hazard was determined and then multiplied by the estimated number of dwellings with fall hazards in York.
3. This same principle was used to calculate the likely incidence of other category 1 hazards in York. The proportions of hazards may vary across the country, so it is not necessarily appropriate to apply national proportions to York. Ideally the specific proportions for York should be applied, but these are not known. The proportions for the northern regions are too small to enable some of the less common hazards to be captured, and so for these hazards the three “overall regions” used in the EHS outputs (the “North”, “London and the South East”, and the “rest of England”) have been used.
4. Because some hazards are quite rare, there will not always be enough cases in the EHS to allow the estimation of the likelihoods of harm and other figures required for a HIA. This means that some of the rarer hazards, such as water safety or structural collapse, are not included in the HIA. The extent to which this unavailable data affects the overall result will vary from authority to authority depending on the composition of hazards within that authority. For York it is estimated that 94% of all hazards present have been covered by the HIA report.

The average estimated cost of mitigating category 1 hazards has been agreed with City of York Council officers as being a fair representation of the likely cost and is partly derived from the EHS data.

^[1] As the HIA does not consider all HHSRS hazards, it is not necessary to determine the exact numbers for all hazards.



C.2 Repair costs to mitigate category 1 hazards

The English Housing Survey (EHS) is a continuous national survey commissioned by the Department for Communities and Local Government (DCLG). It collects information about people's housing circumstances and the condition and energy efficiency of housing in England. Approximately 6,000 house condition surveys are carried out each year by trained surveyors.

The EHS surveyors estimate the costs of remedial work when a HHSRS hazard has been identified. These costs are not for the eradication of the hazard altogether, but to reduce it to an acceptable level – this level usually being the average for the age and type of dwelling rather than to meet some ideal or higher standard.

BRE calculates repair costs from information collected via the EHS in 2 ways:

1. For the fully measured hazards, details of the required work to remedy the category 1 hazard identified by the surveyor in the HHSRS section of the physical survey form (which would in itself or in combination with 2 (below)– remedy the hazard to an 'average' level of risk)
2. Repair cost work identified throughout the survey

The modelling ensures that costs are not duplicated e.g. replacement of windows may be required to remedy a category 1 noise hazard and a category 1 excess cold hazard in the same dwelling but the cost of replacement is only counted once.

The suite of programmes which provide notional costs to make safe (from the HHSRS section of the form and the repair costs model) are complicated. To offer an insight however, for the work identified in the HHSRS section of the form, a 'typical' specification has been devised by an experienced HHSRS practitioner. For example, for the action 'remove obstacle' that appears under the hazard of falling on stairs etc., it is assumed that the obstacle is a central heating radiator. This job has been broken down into its component parts: draining down the system; moving floor boards; re-routing copper pipe; removing radiator; installing radiator in new location; refilling, bleeding and testing system; and making good any damaged floorboards or decoration.

The costs of all detailed specifications have been calculated by a quantity surveyor using building cost data. The costs remain constant each year but an inflation/deflation factor is applied to reflect the price of the work in the EHS survey year. In the event that a cost cannot be generated using the information given by the surveyor, a default cost for a typical job is used.

For excess cold, an appropriate cost for each measure applied is assigned to each case using prices from the EHS repair cost modelling or (in the case of costs not included in repair costs) which have been derived by a quantity surveyor using building cost data. These costs include year-specific factors which reflect the price of the work in that year.

It is not possible to summarise the repair cost model that feeds into the modelling, but if further information was required, all the assumptions and methodology from the EHS technical report could be consulted³⁸.

³⁸ See Chapter 5, Annex 5.5 of https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/335434/Chapter_5_Data_processing.pdf



For the purposes of this HIA, as it is recognised that the cost of repair works varies across the country, a further regional inflationary figure is applied to make it more local to the particular local authority area, as shown in the following table.

Price adjustment factors for the cost of repair work, by region

Region	Price adjustment factor
East Anglia	0.96
East Midland	0.93
Greater London	1.25
North East	0.91
North West	0.91
South East (excl. Greater London)	1.09
South West	1.02
West Midlands	0.93
Yorkshire and Humberside	0.95



Appendix D Cost benefit scenario tables for individual hazards

The cost benefit results are developed from a series of calculations which look at the payback periods over a 3 to 10 year time period. The payback period is a straight comparison between the cost of mitigating the hazard and the cost to the NHS or to society. The tables also show the payback periods for the following cost benefit scenarios:

- Mitigation of the cheapest 20% of hazards
- Mitigation of the cheapest 50% of hazards

The logic behind this is that there will always be some dwellings where mitigation of the hazard is too difficult or too expensive. An example for excess cold might be where the dwelling is constructed from single skin brickwork with a corrugated iron roof and regulations would require a rebuild to bring the dwelling up to the “average” or above. With the hazard of falling on stairs etc. some dwellings have steep narrow stairs with insufficient room to replace them. The cost differentials for the cheapest 20% and 50% of cases have been estimated from EHCS data and then applied to the “real” local costs of works to dwellings.

The first table below shows the cost benefit results for the NHS and the second table provides the results for society. The tables include the results for each of the hazards discussed in this report and are broken down into:

- Tenure (all private stock, owner occupied, privately rented)
- The number of years over which the repairs are spread (3, 5 or 10)
- The proportion of hazards to be repaired (all, cheapest 20% or cheapest 50%)

The results show:

- The **annual repair cost** to mitigate the hazard – longer time frames results in lower annual costs. Choosing the cheapest 20% or 50% will results in an exponential drop in cost because fewer dwellings are repaired and the cost to each dwelling is reduced.
- The **payback period** – the time taken (in years) to break even on an investment – i.e. the cost of mitigating the hazard and the savings achieved for the NHS and to society from carrying out the mitigation work to an individual dwelling.

**Table D. 1: NHS - payback periods and repair costs for cost benefit scenarios – by hazard and tenure**

Hazard	Tenure	Measure	3 - All	5 - All	10 - All	3 -	5 -	10 -	3 -	5 -	10 -
						Cheapest 50%	Cheapest 50%	Cheapest 50%	Cheapest 20%	Cheapest 20%	Cheapest 20%
Damp and mould growth	Private stock	payback period cost	22 £235,964	22 £141,578	22 £70,789	7 £36,574	7 £21,945	7 £10,972	4 £7,079	4 £4,247	4 £2,124
	Owner Occupied	payback period cost	22 £145,432	22 £87,259	22 £43,630	7 £22,542	7 £13,525	7 £6,763	4 £4,363	4 £2,618	4 £1,309
	Private rented	payback period cost	22 £90,532	22 £54,319	22 £27,159	7 £14,032	7 £8,419	7 £4,210	4 £2,716	4 £1,630	4 £815
Excess cold	Private stock	payback period cost	31 £4,619,555	31 £2,771,733	31 £1,385,866	8 £553,059	8 £331,836	8 £165,918	4 £103,270	4 £61,962	4 £30,981
	Owner Occupied	payback period cost	31 £2,955,291	31 £1,773,175	31 £886,587	8 £353,812	8 £212,287	8 £106,143	4 £66,065	4 £39,639	4 £19,820
	Private rented	payback period cost	31 £1,664,263	31 £998,558	31 £499,279	8 £199,248	8 £119,549	8 £59,774	4 £37,204	4 £22,323	4 £11,161
Crowding and space	Private stock	payback period cost	14 £151,146	14 £90,688	14 £45,344	7 £37,786	7 £22,672	7 £11,336	3 £6,046	3 £3,628	3 £1,814
	Owner Occupied	payback period cost	14 £93,156	14 £55,894	14 £27,947	7 £23,289	7 £13,973	7 £6,987	3 £3,726	3 £2,236	3 £1,118
	Private rented	payback period cost	14 £57,990	14 £34,794	14 £17,397	7 £14,497	7 £8,698	7 £4,349	3 £2,320	3 £1,392	3 £696
Entry by intruders	Private stock	payback period cost	5 £20,847	5 £12,508	5 £6,254	3 £5,212	3 £3,127	3 £1,564	1 £834	1 £500	1 £250
	Owner Occupied	payback period cost	5 £12,849	5 £7,709	5 £3,855	3 £3,212	3 £1,927	3 £964	1 £514	1 £308	1 £154
	Private rented	payback period cost	5 £7,998	5 £4,799	5 £2,399	3 £2,000	3 £1,200	3 £600	1 £320	1 £192	1 £96
Domestic hygiene, Pests and Refuse	Private stock	payback period cost	19 £19,984	19 £11,990	19 £5,995						
	Owner Occupied	payback period cost	19 £12,317	19 £7,390	19 £3,695						
	Private rented	payback period cost	19 £7,667	19 £4,600	19 £2,300						
Food safety	Private stock	payback period cost	14 £18,479	14 £11,087	14 £5,544						
	Owner Occupied	payback period cost	14 £11,389	14 £6,833	14 £3,417						
	Private rented	payback period cost	14 £7,090	14 £4,254	14 £2,127						
Personal hygiene, Sanitation and Drainage	Private stock	payback period cost	7 £13,037	7 £7,822	7 £3,911						
	Owner Occupied	payback period cost	7 £8,035	7 £4,821	7 £2,410						
	Private rented	payback period cost	7 £5,002	7 £3,001	7 £1,501						
Falls associated with baths etc	Private stock	payback period cost	3 £59,995	3 £35,997	3 £17,999						
	Owner Occupied	payback period cost	3 £41,842	3 £25,105	3 £12,553						
	Private rented	payback period cost	3 £18,153	3 £10,892	3 £5,446						
Falling on level surfaces etc	Private stock	payback period cost	5 £398,833	5 £239,300	5 £119,650	2 £50,936	2 £30,562	2 £15,281	1 £9,485	1 £5,691	1 £2,845
	Owner Occupied	payback period cost	5 £278,156	5 £166,894	5 £83,447	2 £35,524	2 £21,314	2 £10,657	1 £6,615	1 £3,969	1 £1,984
	Private rented	payback period cost	5 £120,677	5 £72,406	5 £36,203	2 £15,412	2 £9,247	2 £4,624	1 £2,870	1 £1,722	1 £861



Table D. 1 cont.: NHS - payback periods and repair costs for cost benefit scenarios – by hazard and tenure

Hazard	Tenure	Measure	3 - All	5 - All	10 - All	3 - Cheapest 50%	5 - Cheapest 50%	10 - Cheapest 50%	3 - Cheapest 20%	5 - Cheapest 20%	10 - Cheapest 20%
Falling on stairs etc	Private stock	payback period	6	6	6	2	2	2	1	1	1
		cost	£1,908,917	£1,145,350	£572,675	£211,008	£126,605	£63,302	£47,614	£28,568	£14,284
	Owner Occupied	payback period	6	6	6	2	2	2	1	1	1
		cost	£1,331,327	£798,796	£399,398	£147,162	£88,297	£44,149	£33,207	£19,924	£9,962
	Private rented	payback period	6	6	6	2	2	2	1	1	1
		cost	£577,590	£346,554	£173,277	£63,846	£38,307	£19,154	£14,407	£8,644	£4,322
Falling between levels	Private stock	payback period	9	9	9	3	3	3	1	1	1
		cost	£145,982	£87,589	£43,795	£21,883	£13,130	£6,565	£3,017	£1,810	£905
	Owner Occupied	payback period	9	9	9	3	3	3	1	1	1
		cost	£89,974	£53,984	£26,992	£13,488	£8,093	£4,046	£1,860	£1,116	£558
	Private rented	payback period	9	9	9	3	3	3	1	1	1
		cost	£56,009	£33,605	£16,803	£8,396	£5,038	£2,519	£1,158	£695	£347
Electrical hazards	Private stock	payback period	10	10	10		N/A			N/A	
		cost	£4,417	£2,650	£1,325						
	Owner Occupied	payback period	10	10	10		N/A			N/A	
		cost	£2,722	£1,633	£817						
	Private rented	payback period	10	10	10		N/A			N/A	
		cost	£1,695	£1,017	£508						
Fire	Private stock	payback period	21	21	21	6	6	6	3	3	3
		cost	£231,585	£138,951	£69,476	£33,656	£20,193	£10,097	£5,566	£3,340	£1,670
	Owner Occupied	payback period	21	21	21	6	6	6	3	3	3
		cost	£142,734	£85,640	£42,820	£20,743	£12,446	£6,223	£3,431	£2,058	£1,029
	Private rented	payback period	21	21	21	6	6	6	3	3	3
		cost	£88,852	£53,311	£26,656	£12,913	£7,748	£3,874	£2,136	£1,281	£641
Flames, hot surfaces etc	Private stock	payback period	18	18	18	1	1	1	1	1	1
		cost	£192,859	£115,715	£57,858	£4,334	£2,600	£1,300	£1,344	£806	£403
	Owner Occupied	payback period	18	18	18	1	1	1	1	1	1
		cost	£118,865	£71,319	£35,660	£2,671	£1,603	£801	£828	£497	£248
	Private rented	payback period	18	18	18	1	1	1	1	1	1
		cost	£73,994	£44,396	£22,198	£1,663	£998	£499	£516	£309	£155
Collision and entrapment	Private stock	payback period	8	8	8		N/A			N/A	
		cost	£44,867	£26,920	£13,460						
	Owner Occupied	payback period	8	8	8		N/A			N/A	
		cost	£27,653	£16,592	£8,296						
	Private rented	payback period	8	8	8		N/A			N/A	
		cost	£17,214	£10,328	£5,164						


Table D. 2: Society - payback periods and repair costs for cost benefit scenarios – by hazard and tenure

Hazard	Tenure	Measure	3 - All	5 - All	10 - All	3 -	5 -	10 -	3 -	5 -	10 -
						Cheapest 50%	Cheapest 50%	Cheapest 50%	Cheapest 20%	Cheapest 20%	Cheapest 20%
Damp and mould growth	Private stock	payback period cost	9 £235,964	9 £141,578	9 £70,789	3 £36,574	3 £21,945	3 £10,972	2 £7,079	2 £4,247	2 £2,124
	Owner Occupied	payback period cost	9 £145,432	9 £87,259	9 £43,630	3 £22,542	3 £13,525	3 £6,763	2 £4,363	2 £2,618	2 £1,309
	Private rented	payback period cost	9 £90,532	9 £54,319	9 £27,159	3 £14,032	3 £8,419	3 £4,210	2 £2,716	2 £1,630	2 £815
Excess cold	Private stock	payback period cost	13 £4,619,555	13 £2,771,733	13 £1,385,866	3 £553,059	3 £331,836	3 £165,918	2 £103,270	2 £61,962	2 £30,981
	Owner Occupied	payback period cost	13 £2,955,291	13 £1,773,175	13 £886,587	3 £353,812	3 £212,287	3 £106,143	2 £66,065	2 £39,639	2 £19,820
	Private rented	payback period cost	13 £1,664,263	13 £998,558	13 £499,279	3 £199,248	3 £119,549	3 £59,774	2 £37,204	2 £22,323	2 £11,161
Crowding and space	Private stock	payback period cost	6 £151,146	6 £90,688	6 £45,344	3 £37,786	3 £22,672	3 £11,336	2 £6,046	2 £3,628	2 £1,814
	Owner Occupied	payback period cost	6 £93,156	6 £55,894	6 £27,947	3 £23,289	3 £13,973	3 £6,987	2 £3,726	2 £2,236	2 £1,118
	Private rented	payback period cost	6 £57,990	6 £34,794	6 £17,397	3 £14,497	3 £8,698	3 £4,349	2 £2,320	2 £1,392	2 £696
Entry by intruders	Private stock	payback period cost	2 £20,847	2 £12,508	2 £6,254	1 £5,212	1 £3,127	1 £1,564	1 £834	1 £500	1 £250
	Owner Occupied	payback period cost	2 £12,849	2 £7,709	2 £3,855	1 £3,212	1 £1,927	1 £964	1 £514	1 £308	1 £154
	Private rented	payback period cost	2 £7,998	2 £4,799	2 £2,399	1 £2,000	1 £1,200	1 £600	1 £320	1 £192	1 £96
Domestic hygiene, Pests and Refuse	Private stock	payback period cost	8 £19,984	8 £11,990	8 £5,995		N/A			N/A	
	Owner Occupied	payback period cost	8 £12,317	8 £7,390	8 £3,695		N/A			N/A	
	Private rented	payback period cost	8 £7,667	8 £4,600	8 £2,300		N/A			N/A	
Food safety	Private stock	payback period cost	6 £18,479	6 £11,087	6 £5,544		N/A			N/A	
	Owner Occupied	payback period cost	6 £11,389	6 £6,833	6 £3,417		N/A			N/A	
	Private rented	payback period cost	6 £7,090	6 £4,254	6 £2,127		N/A			N/A	
Personal hygiene, Sanitation and Drainage	Private stock	payback period cost	3 £13,037	3 £7,822	3 £3,911		N/A			N/A	
	Owner Occupied	payback period cost	3 £8,035	3 £4,821	3 £2,410		N/A			N/A	
	Private rented	payback period cost	3 £5,002	3 £3,001	3 £1,501		N/A			N/A	
Falls associated with baths etc	Private stock	payback period cost	2 £59,995	2 £35,997	2 £17,999		N/A			N/A	
	Owner Occupied	payback period cost	2 £41,842	2 £25,105	2 £12,553		N/A			N/A	
	Private rented	payback period cost	2 £18,153	2 £10,892	2 £5,446		N/A			N/A	
Falling on level surfaces etc	Private stock	payback period cost	2 £398,833	2 £239,300	2 £119,650	1 £50,936	1 £30,562	1 £15,281	1 £9,485	1 £5,691	1 £2,845
	Owner Occupied	payback period cost	2 £278,156	2 £166,894	2 £83,447	1 £35,524	1 £21,314	1 £10,657	1 £6,615	1 £3,969	1 £1,984
	Private rented	payback period cost	2 £120,677	2 £72,406	2 £36,203	1 £15,412	1 £9,247	1 £4,624	1 £2,870	1 £1,722	1 £861



Table D. 2 cont.: Society - payback periods and repair costs for cost benefit scenarios – by hazard and tenure, cont.

Hazard	Tenure	Measure	3 - All	5 - All	10 - All	3 - Cheapest 50%	5 - Cheapest 50%	10 - Cheapest 50%	3 - Cheapest 20%	5 - Cheapest 20%	10 - Cheapest 20%
Falling on stairs etc	Private stock	payback period cost	3	3	3	1	1	1	1	1	1
	Owner Occupied	payback period	3	3	3	1	1	1	1	1	1
		cost	£1,331,327	£798,796	£399,398	£147,162	£88,297	£44,149	£33,207	£19,924	£9,962
Private rented	payback period cost	3	3	3	1	1	1	1	1	1	
Falling between levels	Private stock	payback period cost	4	4	4	1	1	1	1	1	1
	Owner Occupied	payback period	4	4	4	1	1	1	1	1	1
		cost	£145,982	£87,589	£43,795	£21,883	£13,130	£6,565	£3,017	£1,810	£905
Private rented	payback period cost	4	4	4	1	1	1	1	1	1	
Electrical hazards	Private stock	payback period cost	4	4	4		N/A			N/A	
	Owner Occupied	payback period	4	4	4		N/A			N/A	
		cost	£2,722	£1,633	£817		N/A			N/A	
Private rented	payback period cost	4	4	4		N/A			N/A		
Fire	Private stock	payback period cost	9	9	9	3	3	3	1	1	1
	Owner Occupied	payback period	9	9	9	3	3	3	1	1	1
		cost	£231,585	£138,951	£69,476	£33,656	£20,193	£10,097	£5,566	£3,340	£1,670
Private rented	payback period cost	9	9	9	3	3	3	1	1	1	
Flames, hot surfaces etc	Private stock	payback period cost	7	7	7	1	1	1	1	1	1
	Owner Occupied	payback period	7	7	7	1	1	1	1	1	1
		cost	£118,865	£71,319	£35,660	£2,671	£1,603	£801	£828	£497	£248
Private rented	payback period cost	7	7	7	1	1	1	1	1	1	
Collision and entrapment	Private stock	payback period cost	3	3	3		N/A			N/A	
	Owner Occupied	payback period	3	3	3		N/A			N/A	
		cost	£44,867	£26,920	£13,460		N/A			N/A	
Private rented	payback period cost	3	3	3		N/A			N/A		



Glossary of terms

Category 1 hazard	Hazards with a HHSRS score of > 1,000. A dwelling with a category 1 hazard is considered to fail the minimum statutory standard for housing
CCG	Clinical Commissioning Group
CLG	Department for Communities and Local Government
COA	Census Output Area
COPD	Chronic Obstructive Pulmonary Disease
Cost to NHS	Cost of treatment, procedures etc. expected to be carried out by the NHS (including a school nurse, the GP surgery or hospital etc.) during the first 12 months
Cost to society	Two and a half times the cost to NHS (which accounts for only 40% of the total cost to society)
Cumulative payback period	Includes the continuing cost to the NHS of incidences while mitigation works are carried out over a 3, 5 and 10 year time period. The cumulative payback period is always greater than the payback period
ECO	Energy Companies Obligation
Fuel poverty	The original definition of fuel poverty states that a household is in fuel poverty if it needs to spend more than 10% of their income on fuel to maintain an adequate level of warmth (10% definition). The new definition now adopted by government is that a household is said to be in fuel poverty if they have fuel costs that are above average and were they to spend that amount they would be left with a residual income below the official poverty line (Low Income High Costs definition)
GIS	Geographic Information System
HCS	House Condition Survey
HHSRS	Housing Health and Safety Rating System
HIA	Health Impact Assessment – a formal method of assessing the impact of a project, procedure or strategy on the health of a population
IMD	Index of Multiple Deprivation - a relative measure of deprivation at various geographic areas across England. The most recent is for 2010 and calculates the overall measure of deprivation experienced by people living in every Lower layer Super Output Area (LSOA) in England.
JSNA	Joint Strategic Needs Assessment



LACORs	Local Authority Coordinators of Regulatory Services – now renamed Local Government Regulation
NHS	National Health Service
Older people	People over 65 for the excess cold hazard, people over 60 for the fire and fall hazards (excl. falling between levels)
Payback period	The time taken to break even on an investment – i.e. the cost of mitigating the hazard and the savings achieved for the NHS and to society from carrying out the mitigation work to an individual dwelling
Poor housing	Dwellings where a category 1 hazard is present
Private sector housing	Housing not owned by the local authority or a housing association
PSHCS	Private Sector House Condition Survey
Vulnerable age group	The group of persons who are more likely to be affected by the particular hazard as defined by the HHSRS Operating Guidance
WHO	World Health Organisation