

## **Appendix 4 – Modelling Results**

**Table A4-1:** Predicted Road NO<sub>x</sub> and PM<sub>10</sub> contribution for each scenario

Receptor	Annual Mean Road NO <sub>x</sub> Contribution ( $\mu\text{g}/\text{m}^3$ )					Annual Mean Road PM <sub>10</sub> Contribution ( $\mu\text{g}/\text{m}^3$ )				
	S1	S2a	S2b	S3a	S3b	S1	S2a	S2b	S3a	S3b
	2015 Base	2031 DN	2031 DN (2015 EF)	2031 DS Holgate Park	2031 DS Chancery Rise	2015 Base	2031 DN	2031 DN (2015 EF)	2031 DS Holgate Park	2031 DS Chancery Rise
Gillygate	30.71	7.73	24.56	7.82	7.69	0.39	0.04	0.32	0.04	0.04
Holgate	34.12	9.58	33.01	10.11	9.92	0.43	0.05	0.42	0.05	0.05
Nunnery Lane	28.23	10.95	30.30	12.97	13.12	0.37	0.06	0.40	0.07	0.07
Plantation Drive	14.16	5.22	15.84	4.98	5.02	0.19	0.03	0.21	0.03	0.03
A1	91.77	29.64	86.56	31.87	31.70	1.18	0.16	1.11	0.17	0.17
A11	29.60	9.58	27.07	10.60	10.71	0.38	0.05	0.35	0.06	0.06
A12	25.66	8.39	23.39	9.81	9.88	0.33	0.05	0.31	0.05	0.06
A15	14.18	4.40	12.41	5.20	5.19	0.19	0.03	0.16	0.03	0.03
A17	21.01	6.95	19.76	5.29	5.83	0.27	0.04	0.26	0.03	0.03
A19	18.44	5.99	17.65	4.80	5.25	0.24	0.03	0.23	0.03	0.03
A19a	19.67	6.37	18.82	5.09	5.58	0.26	0.04	0.25	0.03	0.03
A19b	19.67	6.37	18.82	5.09	5.58	0.26	0.04	0.25	0.03	0.03
A20	19.23	6.08	18.39	4.94	5.41	0.25	0.04	0.24	0.03	0.03
A20a	20.54	6.49	19.63	5.25	5.76	0.27	0.04	0.26	0.03	0.03

A20b	20.54	6.49	19.63	5.25	5.76	0.27	0.04	0.26	0.03	0.03
A25	14.88	5.25	14.43	3.98	4.24	0.20	0.03	0.19	0.02	0.02
A27	12.01	4.14	11.59	3.22	3.45	0.16	0.02	0.15	0.02	0.02
A3	18.62	6.19	17.96	7.18	7.02	0.25	0.04	0.24	0.04	0.04
A36	14.04	4.53	13.63	4.26	4.30	0.18	0.03	0.18	0.02	0.02
A38	17.76	5.77	16.94	5.18	5.23	0.23	0.03	0.22	0.03	0.03
A39	14.85	4.83	14.17	4.44	4.47	0.19	0.03	0.18	0.03	0.03
A40	17.17	5.62	16.79	5.89	5.66	0.22	0.03	0.22	0.03	0.03
A41	14.84	4.68	14.60	5.14	4.84	0.20	0.03	0.19	0.03	0.03
A42	16.79	5.28	16.54	5.90	5.52	0.22	0.03	0.22	0.04	0.03
A43	15.62	4.77	15.32	5.52	5.06	0.21	0.03	0.20	0.03	0.03
A45	12.64	3.89	11.97	5.85	4.17	0.16	0.02	0.16	0.03	0.02
A48	14.81	4.60	15.37	7.10	5.32	0.19	0.03	0.20	0.04	0.03
A49	13.63	4.25	14.22	6.72	4.89	0.18	0.02	0.18	0.04	0.03
A5	51.15	17.03	48.79	19.10	19.08	0.68	0.10	0.65	0.11	0.11
A52	30.06	9.22	29.56	12.10	12.87	0.39	0.05	0.39	0.07	0.07
A53	22.71	7.14	22.53	8.94	9.36	0.29	0.04	0.29	0.05	0.05
A54	35.24	10.57	34.65	12.61	12.73	0.45	0.06	0.44	0.07	0.07
A55	33.72	9.71	32.73	10.37	10.23	0.42	0.05	0.41	0.05	0.05

A57	78.27	22.02	75.68	23.23	22.78	0.98	0.11	0.95	0.12	0.11
A6	17.98	5.85	16.95	6.65	6.64	0.24	0.04	0.22	0.04	0.04
A64	33.74	11.38	32.22	12.46	12.42	0.44	0.06	0.42	0.07	0.07
A7	22.14	7.22	20.76	8.27	8.27	0.29	0.04	0.27	0.05	0.05
A87	54.14	17.76	49.96	19.81	19.98	0.70	0.09	0.64	0.11	0.11
A9	34.21	11.36	32.38	12.71	12.74	0.44	0.06	0.42	0.07	0.07
A90	31.38	10.41	30.05	11.52	11.53	0.40	0.06	0.39	0.06	0.06
A91	14.29	5.04	13.86	3.82	4.08	0.19	0.03	0.18	0.02	0.02
A94	13.47	4.46	12.85	3.55	3.84	0.18	0.03	0.17	0.02	0.02
A95	17.99	5.48	17.61	6.62	5.85	0.24	0.03	0.23	0.04	0.03
A96	18.87	5.84	16.61	6.80	6.90	0.25	0.04	0.22	0.04	0.04
A97	12.64	4.54	13.84	4.31	4.36	0.17	0.03	0.18	0.02	0.03
C21	25.01	8.11	25.24	9.22	9.22	0.32	0.04	0.32	0.05	0.05
C23	40.47	11.42	39.16	11.97	11.72	0.51	0.06	0.49	0.06	0.06
C26	59.78	16.03	55.91	17.14	16.75	0.76	0.09	0.71	0.09	0.09
C27	57.09	16.16	55.73	16.63	16.24	0.71	0.08	0.70	0.08	0.08
C56	34.88	10.58	33.92	11.49	11.28	0.43	0.05	0.42	0.06	0.05
C62	35.75	10.14	34.49	10.75	10.53	0.45	0.05	0.43	0.05	0.05
16	24.51	9.36	26.31	10.35	10.37	0.32	0.06	0.35	0.06	0.06

17	22.87	5.90	22.58	5.98	5.89	0.29	0.03	0.29	0.03	0.03
6	26.31	8.53	26.07	9.06	8.97	0.34	0.05	0.34	0.05	0.05
D13	11.61	3.63	11.47	3.68	3.64	0.15	0.02	0.15	0.02	0.02
D19	100.24	28.35	101.12	26.45	25.45	1.24	0.13	1.25	0.13	0.12
D20	44.87	11.83	45.72	10.78	10.38	0.56	0.06	0.57	0.06	0.05
D22	30.37	10.07	31.42	10.22	10.12	0.39	0.05	0.40	0.05	0.05
D25	32.80	8.39	32.34	8.14	7.88	0.41	0.05	0.41	0.04	0.04
D32	29.09	11.12	31.12	12.00	11.96	0.38	0.07	0.41	0.07	0.07
D33	22.94	9.00	24.62	10.67	10.80	0.30	0.05	0.32	0.06	0.06
D35	44.50	16.84	47.60	18.76	18.81	0.59	0.10	0.63	0.11	0.11
D36	33.47	14.38	39.86	14.85	14.78	0.44	0.08	0.53	0.09	0.09
D37	23.04	9.77	26.22	10.89	10.81	0.30	0.05	0.34	0.06	0.06
D38	17.73	6.70	18.39	8.10	8.05	0.23	0.04	0.24	0.05	0.05
D39	27.11	11.49	30.67	12.70	12.63	0.35	0.06	0.40	0.07	0.07
D40	25.05	9.75	26.85	11.51	11.65	0.33	0.06	0.35	0.06	0.06
D41	51.44	17.98	53.64	18.40	18.12	0.66	0.09	0.68	0.09	0.09
D43	88.03	24.84	88.71	22.79	21.94	1.08	0.12	1.09	0.11	0.10
D46	61.67	19.33	62.16	20.58	20.36	0.78	0.10	0.79	0.11	0.11
D48	29.12	9.19	29.17	9.94	9.84	0.37	0.05	0.37	0.05	0.05

D53	22.58	8.84	24.35	10.43	10.56	0.30	0.05	0.32	0.06	0.06
D54	22.41	8.83	24.29	10.38	10.49	0.29	0.05	0.32	0.06	0.06
D55	30.55	9.61	30.99	10.09	9.98	0.39	0.05	0.39	0.05	0.05
102	23.20	7.54	22.19	5.97	6.55	0.30	0.04	0.29	0.03	0.04
103	23.12	7.52	22.11	5.95	6.53	0.30	0.04	0.29	0.03	0.04
104	23.20	7.54	22.19	5.97	6.55	0.30	0.04	0.29	0.03	0.04
105	12.82	3.92	12.73	4.02	3.98	0.17	0.02	0.17	0.02	0.02
108	15.84	5.01	15.19	4.13	4.50	0.21	0.03	0.20	0.02	0.03
110	55.16	15.24	55.43	13.78	13.24	0.68	0.07	0.68	0.06	0.06
111	17.83	5.44	17.90	5.17	5.08	0.23	0.03	0.23	0.03	0.03
112	14.55	4.65	14.59	4.51	4.45	0.19	0.03	0.19	0.03	0.02
113	12.54	3.93	12.49	3.95	3.90	0.16	0.02	0.16	0.02	0.02
114	55.82	15.60	56.27	14.32	13.78	0.69	0.07	0.69	0.07	0.06
115	47.79	13.39	48.15	12.31	11.86	0.59	0.06	0.59	0.06	0.06
116	14.35	4.52	14.15	5.04	4.71	0.19	0.03	0.19	0.03	0.03
118	15.83	4.90	13.77	5.82	5.80	0.21	0.03	0.18	0.03	0.03
123	10.65	4.00	10.91	3.98	3.96	0.14	0.02	0.15	0.02	0.02
128	15.80	5.52	15.23	4.10	4.46	0.21	0.03	0.20	0.02	0.03
13	41.06	10.04	32.03	10.08	9.90	0.52	0.05	0.41	0.05	0.05

14	90.88	22.18	71.02	22.32	21.93	1.16	0.12	0.91	0.12	0.12
35	11.43	3.31	9.78	3.64	3.28	0.15	0.02	0.13	0.02	0.02
37	28.73	8.37	27.83	8.79	8.60	0.36	0.04	0.34	0.04	0.04
40	19.75	6.31	19.00	2.41	2.37	0.26	0.04	0.25	0.01	0.01
45	20.39	7.34	23.82	7.75	7.59	0.27	0.04	0.31	0.05	0.04
68	17.85	5.61	15.80	6.10	6.21	0.23	0.03	0.21	0.03	0.03
69	13.58	4.58	15.18	5.82	4.40	0.18	0.03	0.20	0.03	0.03
7	69.99	17.96	57.32	18.04	17.73	0.89	0.10	0.73	0.10	0.10
78	32.13	8.06	25.61	8.15	8.01	0.41	0.04	0.33	0.04	0.04
79	32.13	8.06	25.61	8.15	8.01	0.41	0.04	0.33	0.04	0.04
80	32.13	8.06	25.61	8.15	8.01	0.41	0.04	0.33	0.04	0.04
5 Damson Close	8.93	2.78	8.76	4.15	3.05	0.12	0.02	0.11	0.02	0.02
1 Damson Close	6.59	2.10	6.56	3.40	2.29	0.09	0.01	0.09	0.02	0.01
12 Hilary Garth	5.07	1.64	5.11	3.21	1.80	0.07	0.01	0.07	0.02	0.01
York Bridge Centre - Holgate Facade (152)	18.35	5.28	17.64	7.42	9.45	0.24	0.03	0.23	0.04	0.05
York bridge Centre - Chancery Facade(154)	14.83	4.31	14.33	5.96	8.00	0.19	0.02	0.19	0.03	0.04

Rear of 3 Wilton Mews	7.59	2.33	7.52	2.98	3.89	0.10	0.01	0.10	0.02	0.02
Rear of 50 Wilton Rise	5.41	1.72	5.46	2.09	2.79	0.07	0.01	0.07	0.01	0.02
22 Cleveland Street	4.40	1.41	4.46	1.81	3.97	0.06	0.01	0.06	0.01	0.02
25 Upper St Pauls Terrace	4.51	1.44	4.56	1.89	2.64	0.06	0.01	0.06	0.01	0.01
Primary School - Hamilton Drive	5.72	2.26	6.44	1.92	2.53	0.08	0.01	0.09	0.01	0.02
194 Hamilton Drive	5.21	2.10	5.89	1.84	2.60	0.07	0.01	0.08	0.01	0.02
37 New Lane	3.69	1.23	3.79	1.38	1.66	0.05	0.01	0.05	0.01	0.01
57 Moorgate	6.71	2.36	6.43	2.92	2.45	0.09	0.01	0.09	0.02	0.02
14 Green lane	6.92	2.39	8.03	2.18	2.42	0.09	0.01	0.11	0.01	0.02
69 Grantham Drive	8.88	2.84	7.80	4.13	2.80	0.12	0.02	0.11	0.02	0.02
Surgery - Acomb Road	9.69	3.02	10.26	3.88	2.99	0.13	0.02	0.13	0.02	0.02
1 Tisbury Road (opposite access)	8.75	2.90	9.13	4.77	3.29	0.11	0.02	0.12	0.02	0.02
26 Tisbury Road (opposite access)	9.28	2.95	9.30	4.81	3.32	0.12	0.02	0.12	0.03	0.02

1 Chelwood Walk	7.84	2.55	8.34	3.96	2.92	0.10	0.01	0.11	0.02	0.02
2 Windmill Rise	7.90	2.55	8.35	3.81	2.93	0.10	0.01	0.11	0.02	0.02
Ashton House	22.34	6.58	21.30	9.16	8.58	0.28	0.03	0.27	0.05	0.04
Chancery House	14.44	4.24	13.99	5.83	7.24	0.19	0.02	0.18	0.03	0.04
Fox Pub facade	27.73	8.11	26.46	11.42	9.62	0.35	0.04	0.34	0.06	0.05
167 Holgate Road	23.69	7.01	22.74	9.78	8.27	0.30	0.04	0.29	0.05	0.04

**Table A4-2:** Predicted ambient annual mean concentrations of NO<sub>2</sub> and PM<sub>10</sub> under each scenario

Receptor	Annual Mean NO <sub>2</sub> Concentration (µg/m <sup>3</sup> )					Annual Mean PM <sub>10</sub> Concentration (µg/m <sup>3</sup> )				
	S1	S2a	S2b	S3a	S3b	S1	S2a	S2b	S3a	S3b
	2015 Base	2031 DN	2031 DN (2015 EF)	2031 DS Holgate Park	2031 DS Chancery Rise	2015 Base	2031 DN	2031 DN (2015 EF)	2031 DS Holgate Park	2031 DS Chancery Rise
Gillygate	33.28	18.36	30.57	18.40	18.34	15.38	14.18	15.31	14.18	14.18
Holgate	34.75	19.22	34.28	19.46	19.37	15.42	14.19	15.41	14.19	14.19
Nunnery Lane	32.20	19.85	33.10	20.77	20.84	15.36	14.20	15.39	14.21	14.21
Plantation Drive	25.75	17.17	26.55	17.06	17.08	15.18	14.17	15.20	14.17	14.17
A1	56.03	27.89	54.33	28.79	28.72	16.17	14.30	16.10	14.31	14.31
A11	32.80	19.22	31.69	19.69	19.74	15.37	14.19	15.34	14.20	14.20
A12	31.06	18.67	30.04	19.32	19.36	15.32	14.19	15.30	14.19	14.20
A15	25.76	16.78	24.92	17.16	17.16	15.18	14.17	15.15	14.17	14.17
A17	28.95	17.99	28.38	17.21	17.46	15.26	14.18	15.25	14.17	14.17
A19	27.77	17.54	27.40	16.98	17.19	15.23	14.17	15.22	14.17	14.17
A19a	28.34	17.72	27.94	17.11	17.34	15.25	14.18	15.24	14.17	14.17
A19b	28.34	17.72	27.94	17.11	17.34	15.25	14.18	15.24	14.17	14.17
A20	28.13	17.58	27.74	17.04	17.27	15.24	14.18	15.23	14.17	14.17
A20a	28.74	17.77	28.32	17.19	17.43	15.26	14.18	15.25	14.17	14.17

A20b	28.74	17.77	28.32	17.19	17.43	15.26	14.18	15.25	14.17	14.17
A25	26.10	17.19	25.88	16.58	16.71	15.19	14.17	15.18	14.16	14.16
A27	24.72	16.66	24.52	16.22	16.33	15.15	14.16	15.14	14.16	14.16
A3	27.85	17.63	27.54	18.10	18.02	15.24	14.18	15.23	14.18	14.18
A36	25.70	16.84	25.50	16.72	16.73	15.17	14.17	15.17	14.16	14.16
A38	27.45	17.43	27.06	17.16	17.18	15.22	14.17	15.21	14.17	14.17
A39	26.08	16.99	25.76	16.80	16.81	15.18	14.17	15.17	14.17	14.17
A40	27.18	17.36	27.00	17.49	17.38	15.21	14.17	15.21	14.17	14.17
A41	26.08	16.92	25.96	17.13	16.99	15.19	14.17	15.18	14.17	14.17
A42	27.00	17.20	26.88	17.50	17.31	15.21	14.17	15.21	14.18	14.17
A43	26.44	16.96	26.30	17.31	17.09	15.20	14.17	15.19	14.17	14.17
A45	25.03	16.54	24.71	17.47	16.67	15.15	14.16	15.15	14.17	14.16
A48	26.06	16.88	26.33	18.06	17.22	15.18	14.17	15.19	14.18	14.17
A49	25.50	16.71	25.78	17.88	17.02	15.17	14.16	15.17	14.18	14.17
A5	41.69	22.58	40.77	23.48	23.47	15.67	14.24	15.64	14.25	14.25
A52	33.00	19.05	32.78	20.37	20.72	15.38	14.19	15.38	14.21	14.21
A53	29.73	18.08	29.65	18.92	19.11	15.28	14.18	15.28	14.19	14.19
A54	35.23	19.67	34.98	20.61	20.66	15.44	14.20	15.43	14.21	14.21
A55	34.58	19.28	34.16	19.58	19.52	15.41	14.19	15.40	14.19	14.19

A57	51.55	24.74	50.67	25.25	25.06	15.97	14.25	15.94	14.26	14.25
A6	27.55	17.47	27.07	17.85	17.85	15.23	14.18	15.21	14.18	14.18
A64	34.59	20.05	33.94	20.53	20.52	15.43	14.20	15.41	14.21	14.21
A7	29.47	18.12	28.84	18.61	18.61	15.28	14.18	15.26	14.19	14.19
A87	42.84	22.90	41.23	23.79	23.86	15.69	14.23	15.63	14.25	14.25
A9	34.79	20.04	34.01	20.65	20.66	15.43	14.20	15.41	14.21	14.21
A90	33.58	19.60	33.00	20.11	20.11	15.39	14.20	15.38	14.20	14.20
A91	25.82	17.09	25.61	16.51	16.63	15.18	14.17	15.17	14.16	14.16
A94	25.42	16.81	25.13	16.38	16.51	15.17	14.17	15.16	14.16	14.16
A95	27.56	17.30	27.38	17.83	17.47	15.23	14.17	15.22	14.18	14.17
A96	27.97	17.47	26.91	17.92	17.97	15.24	14.18	15.21	14.18	14.18
A97	25.03	16.85	25.60	16.74	16.76	15.16	14.17	15.17	14.16	14.17
C21	30.77	18.54	30.87	19.05	19.05	15.31	14.18	15.31	14.19	14.19
C23	37.41	20.06	36.87	20.32	20.20	15.50	14.20	15.48	14.20	14.20
C26	44.97	22.13	43.52	22.68	22.45	15.75	14.23	15.70	14.23	14.23
C27	43.97	22.19	43.45	22.40	22.23	15.70	14.22	15.69	14.22	14.22
C56	35.07	19.68	34.67	20.09	20.00	15.42	14.19	15.41	14.20	14.19
C62	35.44	19.48	34.91	19.76	19.65	15.44	14.19	15.42	14.19	14.19
16	30.54	19.12	31.35	19.57	19.58	15.31	14.20	15.34	14.20	14.20

17	29.80	17.50	29.67	17.53	17.49	15.28	14.17	15.28	14.17	14.17
6	31.35	18.73	31.24	18.98	18.93	15.33	14.19	15.33	14.19	14.19
D13	24.53	16.41	24.47	16.44	16.42	15.14	14.16	15.14	14.16	14.16
D19	58.71	27.37	58.99	26.59	26.18	16.23	14.27	16.24	14.27	14.26
D20	39.20	20.25	39.54	19.77	19.59	15.55	14.20	15.56	14.20	14.19
D22	33.14	19.44	33.59	19.51	19.46	15.38	14.19	15.39	14.19	14.19
D25	34.19	18.66	33.99	18.55	18.43	15.40	14.19	15.40	14.18	14.18
D32	32.58	19.93	33.46	20.33	20.31	15.37	14.21	15.40	14.21	14.21
D33	29.83	18.95	30.59	19.72	19.78	15.29	14.19	15.31	14.20	14.20
D35	39.05	22.49	40.29	23.33	23.35	15.58	14.24	15.62	14.25	14.25
D36	34.47	21.40	37.16	21.61	21.58	15.43	14.22	15.52	14.23	14.23
D37	29.88	19.31	31.31	19.82	19.78	15.29	14.19	15.33	14.20	14.20
D38	27.44	17.88	27.74	18.53	18.51	15.22	14.18	15.23	14.19	14.19
D39	31.71	20.10	33.27	20.65	20.61	15.34	14.20	15.39	14.21	14.21
D40	30.79	19.29	31.59	20.10	20.17	15.32	14.20	15.34	14.20	14.20
D41	41.80	22.99	42.65	23.18	23.05	15.65	14.23	15.67	14.23	14.23
D43	54.81	25.93	55.03	25.06	24.70	16.07	14.26	16.08	14.25	14.24
D46	45.67	23.58	45.85	24.12	24.02	15.77	14.24	15.78	14.25	14.25
D48	32.59	19.04	32.61	19.38	19.34	15.36	14.19	15.36	14.19	14.19

D53	29.67	18.87	30.47	19.61	19.67	15.29	14.19	15.31	14.20	14.20
D54	29.59	18.87	30.44	19.58	19.64	15.28	14.19	15.31	14.20	14.20
D55	33.21	19.23	33.41	19.45	19.41	15.38	14.19	15.38	14.19	14.19
102	29.95	18.27	29.49	17.53	17.80	15.29	14.18	15.28	14.17	14.18
103	29.92	18.26	29.46	17.52	17.79	15.29	14.18	15.28	14.17	14.18
104	29.95	18.27	29.49	17.53	17.80	15.29	14.18	15.28	14.17	14.18
105	25.11	16.55	25.07	16.60	16.58	15.16	14.16	15.16	14.16	14.16
108	26.55	17.07	26.24	16.66	16.83	15.20	14.17	15.19	14.16	14.17
110	43.23	21.79	43.33	21.13	20.89	15.67	14.21	15.67	14.20	14.20
111	27.48	17.28	27.52	17.15	17.11	15.22	14.17	15.22	14.17	14.17
112	25.94	16.90	25.96	16.83	16.81	15.18	14.17	15.18	14.17	14.16
113	24.98	16.56	24.95	16.56	16.54	15.15	14.16	15.15	14.16	14.16
114	43.48	21.95	43.65	21.37	21.13	15.68	14.21	15.68	14.21	14.20
115	40.37	20.95	40.51	20.47	20.26	15.58	14.20	15.58	14.20	14.20
116	25.85	16.84	25.75	17.09	16.93	15.18	14.17	15.18	14.17	14.17
118	26.54	17.02	25.57	17.46	17.45	15.20	14.17	15.17	14.17	14.17
123	24.07	16.59	24.19	16.58	16.57	15.13	14.16	15.14	14.16	14.16
128	26.53	17.31	26.26	16.64	16.81	15.20	14.17	15.19	14.16	14.17
13	37.66	19.44	33.86	19.45	19.37	15.51	14.19	15.40	14.19	14.19

14	55.74	24.81	49.04	24.86	24.70	16.15	14.26	15.90	14.26	14.26
35	24.44	16.26	23.64	16.42	16.24	15.14	14.16	15.12	14.16	14.16
37	32.42	18.66	32.02	18.85	18.76	15.35	14.18	15.33	14.18	14.18
40	28.37	17.69	28.03	15.83	15.81	15.25	14.18	15.24	14.15	14.15
45	28.67	18.17	30.23	18.36	18.29	15.26	14.18	15.30	14.19	14.18
68	27.49	17.36	26.53	17.59	17.64	15.22	14.17	15.20	14.17	14.17
69	25.48	16.87	26.24	17.46	16.78	15.17	14.17	15.19	14.17	14.17
7	48.68	22.99	44.05	23.02	22.88	15.88	14.24	15.72	14.24	14.24
78	33.90	18.51	31.04	18.55	18.49	15.40	14.18	15.32	14.18	14.18
79	33.90	18.51	31.04	18.55	18.49	15.40	14.18	15.32	14.18	14.18
80	33.90	18.51	31.04	18.55	18.49	15.40	14.18	15.32	14.18	14.18
5 Damson Close	23.23	16.00	23.14	16.66	16.13	15.11	14.16	15.10	14.16	14.16
1 Damson Close	22.07	15.67	22.06	16.30	15.77	15.08	14.15	15.08	14.16	14.15
12 Hilary Garth	21.32	15.45	21.34	16.21	15.53	15.06	14.15	15.06	14.16	14.15
York Bridge Centre - Holgate Facade (152)	27.73	17.20	27.40	18.21	19.16	15.23	14.17	15.22	14.18	14.19
York bridge Centre - Chancery Facade(154)	26.07	16.74	25.83	17.52	18.48	15.18	14.16	15.18	14.17	14.18

Rear of 3 Wilton Mews	22.57	15.79	22.54	16.10	16.54	15.09	14.15	15.09	14.16	14.16
Rear of 50 Wilton Rise	21.49	15.49	21.51	15.67	16.01	15.06	14.15	15.06	14.15	14.16
22 Cleveland Street	20.98	15.34	21.01	15.53	16.58	15.05	14.15	15.05	14.15	14.16
25 Upper St Pauls Terrace	21.04	15.35	21.06	15.57	15.94	15.05	14.15	15.05	14.15	14.15
Primary School - Hamilton Drive	21.64	15.75	22.00	15.59	15.88	15.07	14.15	15.08	14.15	14.16
194 Hamilton Drive	21.39	15.67	21.72	15.55	15.92	15.06	14.15	15.07	14.15	14.16
37 New Lane	20.63	15.25	20.68	15.33	15.46	15.04	14.15	15.04	14.15	14.15
57 Moorgate	22.13	15.80	21.99	16.07	15.84	15.08	14.15	15.08	14.16	14.16
14 Green lane	22.24	15.82	22.79	15.71	15.83	15.08	14.15	15.10	14.15	14.16
69 Grantham Drive	23.21	16.03	22.67	16.65	16.01	15.11	14.16	15.10	14.16	14.16
Surgery - Acomb Road	23.60	16.12	23.88	16.54	16.10	15.12	14.16	15.12	14.16	14.16
1 Tisbury Road (opposite access)	23.14	16.06	23.33	16.96	16.25	15.10	14.16	15.11	14.16	14.16
26 Tisbury Road (opposite access)	23.40	16.09	23.41	16.98	16.26	15.11	14.16	15.11	14.17	14.16

1 Chelwood Walk	22.69	15.89	22.94	16.57	16.07	15.09	14.15	15.10	14.16	14.16
2 Windmill Rise	22.72	15.89	22.95	16.50	16.08	15.09	14.15	15.10	14.16	14.16
Ashton House	29.56	17.82	29.09	19.02	18.75	15.27	14.17	15.26	14.19	14.18
Chancery House	25.89	16.71	25.67	17.46	18.13	15.18	14.16	15.17	14.17	14.18
Fox Pub facade	31.98	18.53	31.42	20.06	19.24	15.34	14.18	15.33	14.20	14.19
167 Holgate Road	30.17	18.02	29.74	19.31	18.61	15.29	14.18	15.28	14.19	14.18